

Certificate of Analysis November 26, 2018

Sample ID:

FP-18-1237

Product name Plus cbd oil gold hemp softgel

Batch/Lot#:

UC180615-G30

Strength:

15mg 30ct

Expiration:

09/20

Physical properties	<u>Result</u>	<u>Method</u>	<u>Analyst</u>
Appearance	Pass	Organoleptic	VK
Color	Pass	Organoleptic	VK
Aroma	Pass	Organoleptic	VK
Cannabinoid:	mg:	Method:	Analyst:
CBD	14.81	HPLC	VK
CBDV	0.44	HPLC	VK
CBDA	0.41	HPLC	VK
CBG	0.15	HPLC	VK
CBGA	0.00	HPLC	VK
CBC	0.78	HPLC	VK
CBN	0.00	HPLC	VK
Δ^9 -THC	0.42	HPLC	VK
THCA	0.00	HPLC	VK
Total cannabinoids:	17.0 mg		
Sample size:	1 Softgel		
THC by mass: Vetter	0.1108 %	6	261

Reviewed By

Date

Analyst

Date

Dalia Chandler, M.S., B.S.

Analytical Chemist

Vandana Kothari, M.S., B.Pharm.

QA/QC Manager



Certificate of Analysis

Sample

CV Sciences, Inc.

2688 South Rainbow Blvd. Las Vegas NV 89146

Dalia Chandler

1811DBL0134.6350

Batch FP-18-1237 Lot UC180615 G30

Ordered 11/20/2018

Completed 11/26/2018

Plus CBD Oil 30ct 15mg Gold Hemp Softgels EXP 09/20

Cannabino	ids			
16.46		4.3	3	0.38
Total CBD (mg/unit)		% Total (CBD	Unit weight (g)
Cannnabinoid	LOQ %	Mass %	Mass mg/g	Concentration
CBD	0.01	4.33	43.3	
CBDA	0.01	0.1	0.6	
d9-THC	0.01	0.1	1.0	
THCA-A	0.01	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
d8-THC	0.01	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
THCV	0.01	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBDV	0.01	0.1	1.5	
CBDVA	0.01	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBGA	0.01	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBG	0.01	0.0	0.4	
CBN	0.01	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
СВС	0.01	0.2	2.1	
CBL	0.01	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	

Quantitave Analysis	Status	Sample	LOQ	Limit
	Pass/Fail	CFU/g	CFU/g	CFU/g
Mold/Mildew/Yeast	PASS	<loq< td=""><td>90</td><td>10,000</td></loq<>	90	10,000
Enterobacteriaceae	PASS	<loq< td=""><td>90</td><td>1,000</td></loq<>	90	1,000
Aerobic Bacteria	PASS	<loq< td=""><td>900</td><td>100,000</td></loq<>	900	100,000
Coliforms	PASS	<loq< td=""><td>90</td><td>1,000</td></loq<>	90	1,000
Qualititave Analysis	30	Detected	or Not-de	etected
E. Coli	PASS	N	lot-detected	
Salmonella	PASS	N	lot-detected	
Pseudomonas	PASS	N	lot-detected	

Heavy Me	etals			
Compound	Status	Sample	LOQ	Limit
	Pass/Fail	PPB	PPB	PPB
Arsenic	PASS	189	26	2000
Cadmium	PASS	<loq< td=""><td>26</td><td>820</td></loq<>	26	820
Mercury	PASS	<loq< td=""><td>26</td><td>400</td></loq<>	26	400
Lead	PASS	<loq< td=""><td>26</td><td>1200</td></loq<>	26	1200

Pesticides	Status	Sample (PPB)	LOQ (PPB)
Acequinocyl	PASS	<loq< td=""><td>10</td></loq<>	10
Abamectin	PASS	<loq< td=""><td>10</td></loq<>	10
Bifenazate	PASS	<loq< td=""><td>10</td></loq<>	10
Fenoxycarb	PASS	<loq< td=""><td>10</td></loq<>	10
Fludioxonil	PASS	<loq< td=""><td>10</td></loq<>	10
Imidacloprid	PASS	<loq< td=""><td>10</td></loq<>	10
Myclobutanil	PASS	<loq< td=""><td>10</td></loq<>	10
Pyrethrin	PASS	<loq< td=""><td>10</td></loq<>	10
Spinosad	PASS	<loq< td=""><td>10</td></loq<>	10
Spiromesifien	PASS	<loq< td=""><td>10</td></loq<>	10
Spirotetramat	PASS	<loq< td=""><td>10</td></loq<>	10
Plant Growth Re	gulators		
Daminozide	PASS	<loq< td=""><td>10</td></loq<>	10

Compound	Status	Limit (PPM)
Propane	PASS	500
Methanol	PASS	500
Isobutane	PASS	500
Ethanol	PASS	500
Isopropanol	PASS	500
Isopentane	PASS	500
n-Butane	PASS	500
n-Hexane	PASS	500
2,2-Dimethylbutane	PASS	500
3-Methylpentane	PASS	500
2-Methylpentane	PASS	500
Cyclohexane	PASS	500
Neopentane	PASS	500
nHeptane	PASS	500
n-Pentane	PASS	500
Benzene	PASS	500



Strey (Medalie

Stacy Gardalen Director Kelly gaz

Kelly Zaugg Quality Control



The reported result is based on a sample weight with the applicable moisture content for that sample. (DQ = Limit of Quantitation, NA = Not Analyzed. ND = Not Detected, PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (LIMMER 51887736) Light quality desting methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.

4439 Polaris Ave. Las Vegas, NV 89103 (702)729-5180 www.dblabslv.com