

CV Sciences Certificate of Analysis

This document is to certify that units of the lot number below were tested as per CV Sciences finished product specifications.

SAMPLE ID:**PRODUCT NAME:**

Strength:

Lot Number:

Expiration Date:

CANNABINOIDS***MG/UNIT****METHOD**

CBD

CBDA

d9-THC

THCA-A

d8-THC

THCV

CBDV

CBDVA

CBGA

CBG

CBN

CBC

Total Cannabinoids

Sample Size

THC by Mass

OTHER ACTIVE INGREDIENTS**MG/UNIT****METHOD**

CV Sciences Certificate of Analysis



| HEAVY METALS* | STATUS (PASS/FAIL) | METHOD |
|---------------|--------------------|--------|
| Arsenic | | |
| Cadmium | | |
| Mercury | | |
| Lead | | |

| MICROBIOLOGY* | STATUS (PASS/FAIL) | METHOD |
|-------------------|--------------------|--------|
| Mold/Mildew/Yeast | | |
| Aerobic Bacteria | | |
| Coliforms | | |
| E. Coli | | |
| Salmonella | | |

| PESTICIDES** | STATUS (PASS/FAIL) | METHOD |
|------------------|--------------------|--------|
| Total Pesticides | | |
| Mycotoxins | | |

| RESIDUAL SOLVENTS** | STATUS (PASS/FAIL) | METHOD |
|-------------------------|--------------------|--------|
| Total Residual Solvents | | |

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.[†]

[†]Tested analytes and limits were set by CV Sciences, Inc.

DB Labs Sample ID #:

*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.

Anresco Laboratories Sample ID #:

**Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

QUALITY APPROVAL

Prepared By / Date

Approved By / Date

Status

Vandana Kothari

Signed by Vandana Kothari

I approve this document
30-Oct-2025 14:16 PDT
87A410FF03248738900BEED0868E359



ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

CUSTOMER:

CV SCIENCES, INC.
9530 Padgett Street, Suite 107
San Diego, CA 92126



SAMPLE INFORMATION

Sample No.: 1353562
Product Name: FP-25-0130 plusCBD Calming pet chews 60ct sku 808 exp 10/27
Matrix: Edible (Soft Chew)
Lot #: CM100825

Date Collected: 10/23/2025
Date Received: 10/22/2025
Date Reported: 10/28/2025

TEST SUMMARY

Cannabinoid Profile: ✔ Pass
Pesticide Residue Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass

Microbiological Screen: ✔ Tested
Residual Solvent Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass

Cannabinoid Profile ✔ Pass

10/24/2025

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0133 mg/g
Limit of Quantitation 0.0400 mg/g

| Cannabinoid | mg/g | % | mg/serving | mg/package | Labeled mg/serving | % Difference | Status |
|---------------------|------|-------|------------|------------|--------------------|--------------|--------|
| Δ8-THC | ND | ND | ND | ND | - | - | - |
| Δ9-THC | ND | ND | ND | ND | - | - | Pass |
| Δ9-THCA | ND | ND | ND | ND | - | - | - |
| THCV | ND | ND | ND | ND | - | - | - |
| THCVA | ND | ND | ND | ND | - | - | - |
| CBD | 2.56 | 0.256 | 9.29 | 557.38 | 10 | 7.10 | - |
| CBDA | ND | ND | ND | ND | - | - | - |
| CBC | ND | ND | ND | ND | - | - | - |
| CBCA | ND | ND | ND | ND | - | - | - |
| CBDV | ND | ND | ND | ND | - | - | - |
| CBG | ND | ND | ND | ND | - | - | - |
| CBGA | ND | ND | ND | ND | - | - | - |
| CBN | ND | ND | ND | ND | - | - | - |
| Total THC | ND | ND | ND | ND | - | - | - |
| Total CBD | 2.56 | 0.256 | 9.29 | 557.38 | - | - | - |
| Total Cannabinoids | 2.56 | 0.256 | 9.29 | 557.38 | - | - | - |
| Sum of Cannabinoids | 2.56 | 0.256 | 9.29 | 557.38 | - | - | - |

Serving Weight (g) 3.6295
Package Weight (g) 217.77

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comment(s): The result of this sample is confirmed with a retest.

Microbiological Screen

10/28/2025

| Analyte | Findings | Units | Method |
|----------------------|----------|-------|--------------------|
| Standard Plate Count | 400 | cfu/g | FDA BAM |
| Yeast | <10 | cfu/g | FDA BAM |
| Mold | <10 | cfu/g | FDA BAM |
| Coliforms | <10 | cfu/g | FDA BAM - ECC AGAR |
| Escherichia coli | <10 | cfu/g | FDA BAM - ECC AGAR |

Pesticide Residue Screen ✔ Pass

10/24/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.3 | Pass |
| Acephate | 0.02/0.06 | ND | 5.0 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 4.0 | Pass |
| Acetamiprid | 0.017/0.05 | ND | 5.0 | Pass |
| Aldicarb | 0.02/0.06 | ND | 0.02 | Pass |
| Azoxystrobin | 0.02/0.06 | ND | 40.0 | Pass |
| Bifenazate | 0.02/0.06 | ND | 5.0 | Pass |
| Bifenthrin | 0.04/0.10 | ND | 0.5 | Pass |
| Boscalid | 0.02/0.06 | ND | 10.0 | Pass |
| Captan | 0.2/0.6 | ND | 5.0 | Pass |
| Carbaryl | 0.02/0.06 | ND | 0.5 | Pass |
| Carbofuran | 0.017/0.05 | ND | 0.017 | Pass |
| Chlorantraniliprole | 0.02/0.06 | ND | 40.0 | Pass |
| Chlordane | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorfenapyr | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorpyrifos | 0.02/0.06 | ND | 0.02 | Pass |
| Clofentezine | 0.02/0.06 | ND | 0.5 | Pass |
| Coumaphos | 0.02/0.06 | ND | 0.02 | Pass |
| Cyfluthrin | 0.10/0.30 | ND | 1.0 | Pass |
| Cypermethrin | 0.10/0.30 | ND | 1.0 | Pass |
| Daminozide | 0.017/0.05 | ND | 0.017 | Pass |
| DDVP (Dichlorvos) | 0.013/0.04 | ND | 0.013 | Pass |
| Diazinon | 0.017/0.05 | ND | 0.2 | Pass |
| Dimethoate | 0.017/0.05 | ND | 0.017 | Pass |
| Dimethomorph | 0.017/0.05 | ND | 20.0 | Pass |
| Ethoprop(hos) | 0.02/0.06 | ND | 0.02 | Pass |
| Etofenprox | 0.02/0.06 | ND | 0.02 | Pass |
| Etoxazole | 0.02/0.06 | ND | 1.5 | Pass |
| Fenhexamid | 0.017/0.05 | ND | 10.0 | Pass |
| Fenoxycarb | 0.02/0.06 | ND | 0.02 | Pass |
| Fenpyroximate | 0.02/0.06 | ND | 2.0 | Pass |
| Fipronil | 0.02/0.06 | ND | 0.02 | Pass |
| Flonicamid | 0.02/0.06 | ND | 2.0 | Pass |
| Fludioxonil | 0.02/0.06 | ND | 30.0 | Pass |
| Hexythiazox | 0.02/0.06 | ND | 2.0 | Pass |
| Imazalil | 0.02/0.06 | ND | 0.02 | Pass |
| Imidacloprid | 0.02/0.06 | ND | 3.0 | Pass |
| Kresoxim Methyl | 0.02/0.06 | ND | 1.0 | Pass |
| Malathion | 0.017/0.05 | ND | 5.0 | Pass |
| Metalaxyl | 0.017/0.05 | ND | 15.0 | Pass |
| Methiocarb | 0.02/0.06 | ND | 0.02 | Pass |
| Methomyl | 0.013/0.04 | ND | 0.1 | Pass |
| Methyl parathion | 0.02/0.06 | ND | 0.02 | Pass |
| Mevinphos | 0.02/0.06 | ND | 0.02 | Pass |
| Myclobutanil | 0.02/0.06 | ND | 9.0 | Pass |
| Naled | 0.017/0.05 | ND | 0.5 | Pass |
| Oxamyl | 0.013/0.04 | ND | 0.2 | Pass |
| Paclobutrazol | 0.02/0.06 | ND | 0.02 | Pass |
| Pentachloronitrobenzene | 0.017/0.05 | ND | 0.2 | Pass |
| Permethrins | 0.10/0.30 | ND | 20.0 | Pass |
| Phosmet | 0.02/0.06 | ND | 0.2 | Pass |
| Piperonyl Butoxide | 0.02/0.06 | ND | 8.0 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.4 | Pass |
| Propiconazole | 0.02/0.06 | ND | 20.0 | Pass |
| Propoxur | 0.013/0.04 | ND | 0.013 | Pass |
| Pyrethrins | 0.15/0.50 | ND | 1.0 | Pass |
| Pyridaben | 0.017/0.05 | ND | 3.0 | Pass |
| Spinetoram | 0.02/0.06 | ND | 3.0 | Pass |
| Spinosad | 0.02/0.06 | ND | 3.0 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 12.0 | Pass |
| Spirotetramat | 0.02/0.06 | ND | 13.0 | Pass |
| Spiroxamine | 0.017/0.05 | ND | 0.017 | Pass |
| Tebuconazole | 0.02/0.06 | ND | 2.0 | Pass |
| Thiacloprid | 0.013/0.04 | ND | 0.013 | Pass |
| Thiamethoxam | 0.02/0.06 | ND | 4.5 | Pass |

Certificate of Analysis

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-----------------|---------------|----------------|-------------|--------|
| Trifloxystrobin | 0.02/0.06 | ND | 30.0 | Pass |

Residual Solvent Screen ✓ Pass

10/24/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane | 0.5/0.5 | ND | 1 | Pass |
| Acetone | 57/200 | ND | 5000 | Pass |
| Acetonitrile | 56/200 | ND | 410 | Pass |
| Benzene | 0.5/0.5 | ND | 1 | Pass |
| n-Butane | 45/200 | ND | 5000 | Pass |
| Chloroform | 0.5/0.5 | ND | 1 | Pass |
| Ethanol | 37/200 | ND | 5000 | Pass |
| Ethyl acetate | 38/200 | ND | 5000 | Pass |
| Ethyl ether | 37/200 | ND | 5000 | Pass |
| Ethylene oxide | 0.1/0.5 | ND | 1 | Pass |
| n-Heptane | 135/200 | ND | 5000 | Pass |
| n-Hexane | 49/200 | ND | 290 | Pass |
| Isopropyl alcohol | 57/200 | ND | 5000 | Pass |
| Methanol | 37/200 | ND | 3000 | Pass |
| Methylene chloride | 0.1/0.5 | ND | 1 | Pass |
| n-Pentane | 37/200 | ND | 5000 | Pass |
| Propane | 72/200 | ND | 5000 | Pass |
| Toluene | 49/200 | ND | 890 | Pass |
| Total xylenes (ortho-, meta-, para-) | 58/200 | ND | 2170 | Pass |
| Trichloroethylene | 0.5/0.5 | ND | 1 | Pass |

Heavy Metal Screen ✓ Pass

10/24/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.003/0.05 | <LOQ | 1.5 | Pass |
| Cadmium | 0.008/0.05 | <LOQ | 0.5 | Pass |
| Mercury | 0.002/0.05 | ND | 3 | Pass |
| Lead | 0.01/0.125 | <LOQ | 0.5 | Pass |

Mycotoxin Screen ✓ Pass

10/24/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|------------------|---------------|----------------|-------------|--------|
| Aflatoxin B1 | 2/5 | ND | - | - |
| Aflatoxin B2 | 2/5 | ND | - | - |
| Aflatoxin G1 | 2/5 | ND | - | - |
| Aflatoxin G2 | 2/5 | ND | - | - |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 6/18 | ND | 20 | Pass |

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by



Vu Lam
Lab Co Director



Scan to verify

Certificate Of Completion

Envelope Id: AD38C699-02B1-4FDB-84D0-ED22ADC6D53A

Status: Completed

Subject: FP-25-0130 PlusCBD Pet Calming Chews COA.pdf

Source Envelope:

Document Pages: 5

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Vandana Kothari

AutoNav: Enabled

vandana.kothari@cvsciences.com

Envelopeld Stamping: Enabled

IP Address: 64.207.219.7

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Record Tracking

Status: Original

Holder: Vandana Kothari

Location: DocuSign

10/30/2025 2:09:20 PM

vandana.kothari@cvsciences.com

Signer Events

Signature

Timestamp

Vandana Kothari

vandana.kothari@cvsciences.com

DIRECTOR OF QUALITY

CV Sciences - Part 11

Security Level: Email, Account Authentication
(Required)

Vandana Kothari

Signature Adoption: Pre-selected Style

Signature ID:

87A410FF-F032-4873-8900-BEED0868E359

Using IP Address: 76.167.64.200

Sent: 10/30/2025 2:09:59 PM

Viewed: 10/30/2025 2:16:23 PM

Signed: 10/30/2025 2:17:15 PM

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I approve this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

10/30/2025 2:09:59 PM

Certified Delivered

Security Checked

10/30/2025 2:16:23 PM

Signing Complete

Security Checked

10/30/2025 2:17:15 PM

Completed

Security Checked

10/30/2025 2:17:15 PM

Payment Events

Status

Timestamps