

# CV Sciences Certificate of Analysis



*This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.*

**SAMPLE ID:****PRODUCT NAME:**

Strength:

Lot Number:

Expiration Date:

**CANNABINOIDS\*****MG/UNIT****METHOD**

CBD

CBDA

d9-THC

THCA-A

d8-THC

THCV

CBDV

CBDVA

CBGA

CBG

CBN

CBC

CBL

Total Cannabinoids

Sample Size

THC by Mass

**HEAVY METALS\*****STATUS (PASS/FAIL)****METHOD**

Arsenic

Cadmium

Mercury

Lead

# CV Sciences Certificate of Analysis



| MICROBIOLOGY*     | STATUS (PASS/FAIL) | METHOD |
|-------------------|--------------------|--------|
| Mold/Mildew/Yeast |                    |        |
| Aerobic Bacteria  |                    |        |
| Coliforms         |                    |        |
| E. Coli           |                    |        |
| Salmonella        |                    |        |
| Pseudomonas       |                    |        |

| PESTICIDES**     | STATUS (PASS/FAIL) | METHOD |
|------------------|--------------------|--------|
| Total Pesticides |                    |        |
| Mycotoxins       | Pass               |        |

| RESIDUAL SOLVENTS**     | STATUS (PASS/FAIL) | METHOD |
|-------------------------|--------------------|--------|
| Total Residual Solvents |                    |        |

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.<sup>†</sup>

<sup>†</sup>Tested analytes and limits were set by CV Sciences, Inc.



DB Labs Sample ID #:

\*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.

Anresco Laboratories Sample ID #:

\*\*Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

## QUALITY APPROVAL

| Prepared By / Date | Approved By / Date  | Status |
|--------------------|---|--------|
| Vandana Kothari    | <div><div><br/>Signed by Vandana Kothari</div><div><div> I approve this document<br/>15-Aug-2025   10:58 PDT</div><div>87A410FFF03248738900BEED0868E359</div></div></div> |        |



ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124

CUSTOMER:

CV SCIENCES, INC.  
9530 Padgett Street, Suite 107  
San Diego, CA 92126



SAMPLE INFORMATION

Sample No.: 1325344  
Product: FP-25-0080 PlusCBD 50mg 30ct  
Name: Softgels SKU 390 exp 02/27  
Matrix: Edible (Capsule)  
Lot #: 52678

Date Collected: 07/29/2025  
Date Received: 07/29/2025  
Date Reported: 08/05/2025

TEST SUMMARY

Cannabinoid Profile: ✔ Pass Microbiological Screen: 🔄 Tested  
Pesticide Residue Screen: ✔ Pass Residual Solvent Screen: ✔ Pass  
Heavy Metal Screen: ✔ Pass Mycotoxin Screen: ✔ Pass

Cannabinoid Profile ✔ Pass

07/29/2025

Method: MF-CHEM-15  
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)  
Limit of Detection: 0.1333 mg/g  
Limit of Quantitation: 0.4000 mg/g

| Cannabinoid         | mg/g   | %     | mg/serving | mg/package | Labeled mg/serving | % Difference | Status |
|---------------------|--------|-------|------------|------------|--------------------|--------------|--------|
| Δ8-THC              | ND     | ND    | ND         | ND         | -                  | -            | -      |
| Δ9-THC              | <LOQ   | <LOQ  | <LOQ       | <LOQ       | -                  | -            | Pass   |
| Δ9-THCA             | ND     | ND    | ND         | ND         | -                  | -            | -      |
| THCV                | ND     | ND    | ND         | ND         | -                  | -            | -      |
| THCVA               | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBD                 | 87.48  | 8.748 | 53.89      | 1616.68    | 50                 | 7.78         | -      |
| CBDA                | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBC                 | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBCA                | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBDV                | 0.53   | 0.053 | 0.33       | 9.83       | -                  | -            | -      |
| CBG                 | 0.59   | 0.059 | 0.37       | 10.95      | -                  | -            | -      |
| CBGA                | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBN                 | ND     | ND    | ND         | ND         | -                  | -            | -      |
| Total THC           | <LOQ   | <LOQ  | <LOQ       | <LOQ       | -                  | -            | -      |
| Total CBD           | 87.48  | 8.748 | 53.89      | 1616.68    | -                  | -            | -      |
| Total Cannabinoids  | 88.61  | 8.861 | 54.58      | 1637.46    | -                  | -            | -      |
| Sum of Cannabinoids | 88.61  | 8.861 | 54.58      | 1637.46    | -                  | -            | -      |
| Serving Weight (g)  | 0.6160 |       |            |            |                    |              |        |
| Package Weight (g)  | 18.48  |       |            |            |                    |              |        |

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

Comments: Reported results and measurements are based off of a calculated hypothetical weight using the ratio between filling weight and total capsule weight as per client instruction. Only the filling material was tested.

Microbiological Screen

08/05/2025

| Analyte              | Findings | Units | Method                     |
|----------------------|----------|-------|----------------------------|
| Standard Plate Count | 4,800    | cfu/g | FDA BAM                    |
| Yeast                | <10      | cfu/g | FDA BAM                    |
| Mold                 | <10      | cfu/g | FDA BAM                    |
| Coliforms            | <10      | cfu/g | FDA BAM - ECC AGAR         |
| Escherichia coli     | <10      | cfu/g | FDA BAM - ECC AGAR         |
| Salmonella           | Negative | /10g  | MF-MICRO-11 (AOAC 2016.01) |
| Staph aureus         | Negative | /10g  | USP <62>                   |

## Pesticide Residue Screen ✔ Pass

07/31/2025

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte                 | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| Abamectin               | 0.04/0.10     | ND             | 0.3         | Pass   |
| Acephate                | 0.02/0.06     | ND             | 5.0         | Pass   |
| Acequinocyl             | 0.04/0.10     | ND             | 4.0         | Pass   |
| Acetamiprid             | 0.017/0.05    | ND             | 5.0         | Pass   |
| Aldicarb                | 0.02/0.06     | ND             | 0.02        | Pass   |
| Azoxystrobin            | 0.02/0.06     | ND             | 40.0        | Pass   |
| Bifenazate              | 0.02/0.06     | ND             | 5.0         | Pass   |
| Bifenthrin              | 0.04/0.10     | ND             | 0.5         | Pass   |
| Boscalid                | 0.02/0.06     | ND             | 10.0        | Pass   |
| Captan                  | 0.2/0.6       | ND             | 5.0         | Pass   |
| Carbaryl                | 0.02/0.06     | ND             | 0.5         | Pass   |
| Carbofuran              | 0.017/0.05    | ND             | 0.017       | Pass   |
| Chlorantraniliprole     | 0.02/0.06     | ND             | 40.0        | Pass   |
| Chlordane               | 0.02/0.06     | ND             | 0.02        | Pass   |
| Chlorfenapyr            | 0.02/0.06     | ND             | 0.02        | Pass   |
| Chlorpyrifos            | 0.02/0.06     | ND             | 0.02        | Pass   |
| Clofentezine            | 0.02/0.06     | ND             | 0.5         | Pass   |
| Coumaphos               | 0.02/0.06     | ND             | 0.02        | Pass   |
| Cyfluthrin              | 0.10/0.30     | ND             | 1.0         | Pass   |
| Cypermethrin            | 0.10/0.30     | ND             | 1.0         | Pass   |
| Daminozide              | 0.017/0.05    | ND             | 0.017       | Pass   |
| DDVP (Dichlorvos)       | 0.013/0.04    | ND             | 0.013       | Pass   |
| Diazinon                | 0.017/0.05    | ND             | 0.2         | Pass   |
| Dimethoate              | 0.017/0.05    | ND             | 0.017       | Pass   |
| Dimethomorph            | 0.017/0.05    | ND             | 20.0        | Pass   |
| Ethoprop(hos)           | 0.02/0.06     | ND             | 0.02        | Pass   |
| Etofenprox              | 0.02/0.06     | ND             | 0.02        | Pass   |
| Etoxazole               | 0.02/0.06     | ND             | 1.5         | Pass   |
| Fenhexamid              | 0.017/0.05    | ND             | 10.0        | Pass   |
| Fenoxycarb              | 0.02/0.06     | ND             | 0.02        | Pass   |
| Fenpyroximate           | 0.02/0.06     | ND             | 2.0         | Pass   |
| Fipronil                | 0.02/0.06     | ND             | 0.02        | Pass   |
| Flonicamid              | 0.02/0.06     | ND             | 2.0         | Pass   |
| Fludioxonil             | 0.02/0.06     | ND             | 30.0        | Pass   |
| Hexythiazox             | 0.02/0.06     | ND             | 2.0         | Pass   |
| Imazalil                | 0.02/0.06     | ND             | 0.02        | Pass   |
| Imidacloprid            | 0.02/0.06     | ND             | 3.0         | Pass   |
| Kresoxim Methyl         | 0.02/0.06     | ND             | 1.0         | Pass   |
| Malathion               | 0.017/0.05    | ND             | 5.0         | Pass   |
| Metalaxyl               | 0.017/0.05    | ND             | 15.0        | Pass   |
| Methiocarb              | 0.02/0.06     | ND             | 0.02        | Pass   |
| Methomyl                | 0.013/0.04    | ND             | 0.1         | Pass   |
| Methyl parathion        | 0.02/0.06     | ND             | 0.02        | Pass   |
| Mevinphos               | 0.02/0.06     | ND             | 0.02        | Pass   |
| Myclobutanil            | 0.02/0.06     | ND             | 9.0         | Pass   |
| Naled                   | 0.017/0.05    | ND             | 0.5         | Pass   |
| Oxamyl                  | 0.013/0.04    | ND             | 0.2         | Pass   |
| Paclobutrazol           | 0.02/0.06     | ND             | 0.02        | Pass   |
| Pentachloronitrobenzene | 0.017/0.05    | ND             | 0.2         | Pass   |
| Permethrins             | 0.10/0.30     | ND             | 20.0        | Pass   |
| Phosmet                 | 0.02/0.06     | ND             | 0.2         | Pass   |
| Piperonyl Butoxide      | 0.02/0.06     | ND             | 8.0         | Pass   |
| Prallethrin             | 0.04/0.10     | ND             | 0.4         | Pass   |
| Propiconazole           | 0.02/0.06     | ND             | 20.0        | Pass   |
| Propoxur                | 0.013/0.04    | ND             | 0.013       | Pass   |
| Pyrethrins              | 0.15/0.50     | ND             | 1.0         | Pass   |
| Pyridaben               | 0.017/0.05    | ND             | 3.0         | Pass   |
| Spinetoram              | 0.02/0.06     | ND             | 3.0         | Pass   |
| Spinosad                | 0.02/0.06     | ND             | 3.0         | Pass   |
| Spiromesifen            | 0.04/0.10     | ND             | 12.0        | Pass   |
| Spirotetramat           | 0.02/0.06     | ND             | 13.0        | Pass   |
| Spiroxamine             | 0.017/0.05    | ND             | 0.017       | Pass   |
| Tebuconazole            | 0.02/0.06     | <LOQ (0.026)   | 2.0         | Pass   |
| Thiacloprid             | 0.013/0.04    | ND             | 0.013       | Pass   |
| Thiamethoxam            | 0.02/0.06     | ND             | 4.5         | Pass   |

# Certificate of Analysis

| Analyte         | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-----------------|---------------|----------------|-------------|--------|
| Trifloxystrobin | 0.02/0.06     | ND             | 30.0        | Pass   |

## Residual Solvent Screen ✓ Pass

07/31/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte                              | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane                   | 0.5/0.5       | ND             | 1           | Pass   |
| Acetone                              | 57/200        | ND             | 5000        | Pass   |
| Acetonitrile                         | 56/200        | ND             | 410         | Pass   |
| Benzene                              | 0.5/0.5       | ND             | 1           | Pass   |
| n-Butane                             | 45/200        | ND             | 5000        | Pass   |
| Chloroform                           | 0.5/0.5       | ND             | 1           | Pass   |
| Ethanol                              | 37/200        | ND             | 5000        | Pass   |
| Ethyl acetate                        | 38/200        | ND             | 5000        | Pass   |
| Ethyl ether                          | 37/200        | ND             | 5000        | Pass   |
| Ethylene oxide                       | 0.1/0.5       | ND             | 1           | Pass   |
| n-Heptane                            | 135/200       | ND             | 5000        | Pass   |
| n-Hexane                             | 49/200        | ND             | 290         | Pass   |
| Isopropyl alcohol                    | 57/200        | ND             | 5000        | Pass   |
| Methanol                             | 37/200        | ND             | 3000        | Pass   |
| Methylene chloride                   | 0.1/0.5       | ND             | 1           | Pass   |
| n-Pentane                            | 37/200        | <LOQ           | 5000        | Pass   |
| Propane                              | 72/200        | ND             | 5000        | Pass   |
| Toluene                              | 49/200        | ND             | 890         | Pass   |
| Total xylenes (ortho-, meta-, para-) | 58/200        | ND             | 2170        | Pass   |
| Trichloroethylene                    | 0.5/0.5       | ND             | 1           | Pass   |

## Heavy Metal Screen ✓ Pass

07/31/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.003/0.05     | <LOQ            | 1.5          | Pass   |
| Cadmium | 0.008/0.05     | ND              | 0.5          | Pass   |
| Mercury | 0.002/0.05     | ND              | 3            | Pass   |
| Lead    | 0.01/0.125     | ND              | 0.5          | Pass   |

## Mycotoxin Screen

07/31/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|------------------|---------------|----------------|-------------|--------|
| Aflatoxin B1     | 2/5           | ND             | -           | -      |
| Aflatoxin B2     | 2/5           | ND             | -           | -      |
| Aflatoxin G1     | 2/5           | ND             | -           | -      |
| Aflatoxin G2     | 2/5           | ND             | -           | -      |
| Total Aflatoxins | 8/20          | ND             | 20          | Pass   |
| Ochratoxin A     | 6/18          | ND             | 20          | Pass   |

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

Reported by




Vu Lam  
Lab Co Director



Scan to verify

## Certificate Of Completion

Envelope Id: 1AC20F66-BDE5-4BA3-8A28-084E465A42F8

Status: Completed

Subject: FP-25-0080 PlusCBD 50mg 30ct softgel coa.pdf

Source Envelope:

Document Pages: 5

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Vandana Kothari

AutoNav: Enabled

vandana.kothari@cvsciences.com

Envelopeld Stamping: Enabled

IP Address: 64.207.219.137

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

## Record Tracking

Status: Original

Holder: Vandana Kothari

Location: DocuSign

8/15/2025 10:55:11 AM

vandana.kothari@cvsciences.com

## Signer Events

## Signature

## Timestamp

Vandana Kothari

vandana.kothari@cvsciences.com

DIRECTOR OF QUALITY

CV Sciences - Part 11

Security Level: Email, Account Authentication  
(Required)

*Vandana Kothari*

Signature Adoption: Pre-selected Style

Signature ID:

87A410FF-F032-4873-8900-BEED0868E359

Using IP Address: 76.167.64.200

Sent: 8/15/2025 10:55:49 AM

Viewed: 8/15/2025 10:56:24 AM

Signed: 8/15/2025 10:58:26 AM

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I approve this document

## Electronic Record and Signature Disclosure:

Not Offered via Docusign

## In Person Signer Events

## Signature

## Timestamp

## Editor Delivery Events

## Status

## Timestamp

## Agent Delivery Events

## Status

## Timestamp

## Intermediary Delivery Events

## Status

## Timestamp

## Certified Delivery Events

## Status

## Timestamp

## Carbon Copy Events

## Status

## Timestamp

## Witness Events

## Signature

## Timestamp

## Notary Events

## Signature

## Timestamp

## Envelope Summary Events

## Status

## Timestamps

Envelope Sent

Hashed/Encrypted

8/15/2025 10:55:49 AM

Certified Delivered

Security Checked

8/15/2025 10:56:24 AM

Signing Complete

Security Checked

8/15/2025 10:58:26 AM

Completed

Security Checked

8/15/2025 10:58:26 AM

## Payment Events

## Status

## Timestamps