

CV Sciences Certificate of Analysis

This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.

| PRODUCT NAME: | SAMPLE ID: |
|---------------|------------|
|---------------|------------|

| | |
|-------------|--------------------------|
| Strength: | Expiration Date: |
| Lot Number: | Total Quantity Produced: |

| PHYSICAL PROPERTIES | STATUS (PASS/FAIL) | METHOD |
|---------------------|--------------------|--------|
| Appearance | | |
| Color | | |
| Aroma | | |

| CANNABINOID* | MG/UNIT | METHOD |
|--------------------|---------|--------|
| CBD | | |
| CBDA | | |
| d9-THC | | |
| THCA-A | | |
| d8-THC | | |
| THCV | | |
| CBDV | | |
| CBDVA | | |
| CBGA | | |
| CBG | | |
| CBN | | |
| CBC | | |
| CBL | | |
| Total Cannabinoids | | |
| Unit Weight | | |
| THC by Mass | | |

| OTHER ACTIVE INGREDIENTS** | MG/UNIT | METHOD |
|-----------------------------|---------|--------|
| Palmitoylethanolamide (PEA) | | |

| HEAVY METALS* | STATUS (PASS/FAIL) | METHOD |
|---------------|--------------------|--------|
| Arsenic | | |
| Cadmium | | |
| Mercury | | |
| Lead | | |



CV Sciences Certificate of Analysis

| MICROBIOLOGY* | STATUS (PASS/FAIL) | METHOD |
|-------------------------|--------------------|--------|
| Mold/Mildew/Yeast | | |
| Aerobic Bacteria | | |
| Coliforms | | |
| E. Coli | | |
| Salmonella | | |
| Pseudomonas | | |
| PESTICIDES*** | STATUS (PASS/FAIL) | METHOD |
| Total Pesticides | | |
| RESIDUAL SOLVENTS*** | STATUS (PASS/FAIL) | METHOD |
| Total Residual Solvents | | |

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.[†]

[†]Tested analytes and limits were set by CV Sciences, Inc.

DB Labs Sample ID #:

*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.

Advanced Botanical Consulting & Testing Sample ID #:

**Actual analytical results obtained by Advanced Botanical Consulting & Testing, Inc. (Tustin, CA), CV Sciences' third-party testing laboratory.

Anresco Laboratories Sample ID #:

***Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

*This Certificate of Analysis has been generated to document product test results.
The "Prepared By" signature does not indicate finished product release for distribution.*

| QUALITY APPROVAL | | |
|--------------------|--|--------|
| Prepared By / Date | Approved By / Date | Status |
| Vandana Kothari | <p>Signed by Vandana Kothari  Vandana Kothari <small>87A410FFF03248738900BEED0868E359</small></p> | PASS |

Certificate of Analysis

ANALYZED BY:

 Anresco Laboratories
 1375 Van Dyke Avenue,
 San Francisco, CA 94124
 DEA# PA0202945

CUSTOMER:

 CV SCIENCES, INC.
 9530 Padgett Street, Suite 107
 San Diego, CA 92126

SAMPLE INFORMATION

 Sample No.: 1379255
 Product Name: PP-26-0009 PlusCBD relief 30mg
 Matrix: Edible (Capsule)
 Lot #: 52758

 Date Collected: 01/29/2026
 Date Received: 01/29/2026
 Date Reported: 02/03/2026

TEST SUMMARY

| | | | |
|---------------------------|------|--------------------------|--------|
| Cannabinoid Profile: | Pass | Microbiological Screen: | Tested |
| Pesticide Residue Screen: | Pass | Residual Solvent Screen: | Pass |
| Heavy Metal Screen: | Pass | Mycotoxin Screen: | Pass |

Cannabinoid Profile Pass

01/30/2026

 Method: MF-CHEM-15
 Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
 Limit of Detection 0.1333 mg/g
 Limit of Quantitation 0.4000 mg/g

| Cannabinoid | mg/g | % | mg/serving | mg/package | Status |
|---------------------------|-------|-------|------------|------------|--------|
| Δ8-THC | ND | ND | ND | ND | - |
| Δ9-THC | ND | ND | ND | ND | Pass |
| Δ9-THCA | ND | ND | ND | ND | - |
| THCV | ND | ND | ND | ND | - |
| THCVA | ND | ND | ND | ND | - |
| CBD | 21.24 | 2.124 | 17.59 | 1055.2 | - |
| CBDA | 19.80 | 1.980 | 16.39 | 983.65 | - |
| CBC | ND | ND | ND | ND | - |
| CBCA | ND | ND | ND | ND | - |
| CBDV | <LOQ | <LOQ | <LOQ | <LOQ | - |
| CBG | ND | ND | ND | ND | - |
| CBGA | ND | ND | ND | ND | - |
| CBN | ND | ND | ND | ND | - |
| Total THC | ND | ND | ND | ND | - |
| Total CBD | 38.60 | 3.860 | 31.96 | 1917.86 | - |
| Total Cannabinoids | 38.60 | 3.860 | 31.96 | 1917.86 | - |
| Sum of Cannabinoids | 41.04 | 4.104 | 33.98 | 2038.84 | - |
| Serving Weight (g) | 0.828 | | | | |
| Package Weight (g) | 49.68 | | | | |

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)

Total CBD = CBD + (0.877 * CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Reported results and measurements are based off of a calculated hypothetical weight using the ratio between filling weight and total capsule weight as per client instruction. Only the filling material was tested.

Comment(s):

Full Weight: 0.828 g; Fill Weight: 0.542 g, and Shell Weight 0.286 g

Microbiological Screen

02/03/2026

| Analyte | Findings | Units | Method |
|-----------------------|----------|-------|----------------------------|
| Standard Plate Count | <10 | cfu/g | FDA BAM |
| Yeast | <10 | cfu/g | FDA BAM |
| Mold | <10 | cfu/g | FDA BAM |
| Coliforms | <10 | cfu/g | FDA BAM - ECC AGAR |
| Escherichia coli | <10 | cfu/g | FDA BAM - ECC AGAR |
| Salmonella | Negative | /10g | MF-MICRO-11 (AOAC 2016.01) |
| Staphylococcus aureus | Negative | /10g | USP <62> |

Pesticide Residue Screen Pass

02/02/2026

Method: MF-CHEM-13**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.3 | Pass |
| Acephate | 0.02/0.06 | ND | 5.0 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 4.0 | Pass |
| Acetamiprid | 0.017/0.05 | ND | 5.0 | Pass |
| Aldicarb | 0.02/0.06 | ND | 0.02 | Pass |
| Azoxystrobin | 0.02/0.06 | ND | 40.0 | Pass |
| Bifenazate | 0.02/0.06 | ND | 5.0 | Pass |
| Bifenthrin | 0.04/0.10 | ND | 0.5 | Pass |
| Boscalid | 0.02/0.06 | ND | 10.0 | Pass |
| Captan | 0.2/0.6 | ND | 5.0 | Pass |
| Carbaryl | 0.02/0.06 | ND | 0.5 | Pass |
| Carbofuran | 0.017/0.05 | ND | 0.017 | Pass |
| Chlorantraniliprole | 0.02/0.06 | ND | 40.0 | Pass |
| Chlordane | 0.02/0.06 | ND | 0.02 | Pass |
| Chlорfenapyr | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorpyrifos | 0.02/0.06 | ND | 0.02 | Pass |
| Clofentezine | 0.02/0.06 | ND | 0.5 | Pass |
| Coumaphos | 0.02/0.06 | ND | 0.02 | Pass |
| Cyfluthrin | 0.10/0.30 | ND | 1.0 | Pass |
| Cypermethrin | 0.10/0.30 | ND | 1.0 | Pass |
| Daminozide | 0.017/0.05 | ND | 0.017 | Pass |
| DDVP (Dichlorvos) | 0.013/0.04 | ND | 0.013 | Pass |
| Diazinon | 0.017/0.05 | ND | 0.2 | Pass |
| Dimethoate | 0.017/0.05 | ND | 0.017 | Pass |
| Dimethomorph | 0.017/0.05 | ND | 20.0 | Pass |
| Ethoprop(hos) | 0.02/0.06 | ND | 0.02 | Pass |
| Etofenprox | 0.02/0.06 | ND | 0.02 | Pass |
| Etoxazole | 0.02/0.06 | ND | 1.5 | Pass |
| Fenhexamid | 0.017/0.05 | ND | 10.0 | Pass |
| Fenoxy carb | 0.02/0.06 | ND | 0.02 | Pass |
| Fenpyroximate | 0.02/0.06 | ND | 2.0 | Pass |
| Fipronil | 0.02/0.06 | ND | 0.02 | Pass |
| Flonicamid | 0.02/0.06 | ND | 2.0 | Pass |
| Fludioxonil | 0.02/0.06 | ND | 30.0 | Pass |
| Hexythiazox | 0.02/0.06 | ND | 2.0 | Pass |
| Imazalil | 0.02/0.06 | ND | 0.02 | Pass |
| Imidacloprid | 0.02/0.06 | ND | 3.0 | Pass |
| Kresoxim Methyl | 0.02/0.06 | ND | 1.0 | Pass |
| Malathion | 0.017/0.05 | ND | 5.0 | Pass |
| Metalaxy | 0.017/0.05 | ND | 15.0 | Pass |
| Methiocarb | 0.02/0.06 | ND | 0.02 | Pass |
| Methomyl | 0.013/0.04 | ND | 0.1 | Pass |
| Methyl parathion | 0.02/0.06 | ND | 0.02 | Pass |
| Mevinphos | 0.02/0.06 | ND | 0.02 | Pass |
| Myclobutanil | 0.02/0.06 | ND | 9.0 | Pass |
| Naled | 0.017/0.05 | ND | 0.5 | Pass |
| Oxamyl | 0.013/0.04 | ND | 0.2 | Pass |
| Paclobutrazol | 0.02/0.06 | ND | 0.02 | Pass |
| Pentachloronitrobenzene | 0.017/0.05 | ND | 0.2 | Pass |
| Permethrins | 0.10/0.30 | ND | 20.0 | Pass |
| Phosmet | 0.02/0.06 | ND | 0.2 | Pass |
| Piperonyl Butoxide | 0.02/0.06 | ND | 8.0 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.4 | Pass |
| Propiconazole | 0.02/0.06 | ND | 20.0 | Pass |
| Propoxur | 0.013/0.04 | ND | 0.013 | Pass |
| Pyrethrins | 0.15/0.50 | ND | 1.0 | Pass |
| Pyridaben | 0.017/0.05 | ND | 3.0 | Pass |
| Spinetoram | 0.02/0.06 | ND | 3.0 | Pass |
| Spinosad | 0.02/0.06 | ND | 3.0 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 12.0 | Pass |
| Spirotetramat | 0.02/0.06 | ND | 13.0 | Pass |
| Spiroxamine | 0.017/0.05 | ND | 0.017 | Pass |
| Tebuconazole | 0.02/0.06 | ND | 2.0 | Pass |
| Thiacloprid | 0.013/0.04 | ND | 0.013 | Pass |
| Thiamethoxam | 0.02/0.06 | ND | 4.5 | Pass |

Certificate of Analysis

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-----------------|---------------|----------------|-------------|--------|
| Trifloxystrobin | 0.02/0.06 | ND | 30.0 | Pass |

Residual Solvent Screen  **Pass**

02/02/2026

Method: MF-CHEM-32**Instrument:** Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane | 0.5/0.5 | ND | 1 | Pass |
| Acetone | 57/200 | ND | 5000 | Pass |
| Acetonitrile | 56/200 | ND | 410 | Pass |
| Benzene | 0.5/0.5 | ND | 1 | Pass |
| n-Butane | 45/200 | ND | 5000 | Pass |
| Chloroform | 0.5/0.5 | ND | 1 | Pass |
| Ethanol | 37/200 | ND | 5000 | Pass |
| Ethyl acetate | 38/200 | ND | 5000 | Pass |
| Ethyl ether | 37/200 | ND | 5000 | Pass |
| Ethylene oxide | 0.1/0.5 | ND | 1 | Pass |
| n-Heptane | 135/200 | ND | 5000 | Pass |
| n-Hexane | 49/200 | ND | 290 | Pass |
| Isopropyl alcohol | 57/200 | ND | 5000 | Pass |
| Methanol | 37/200 | ND | 3000 | Pass |
| Methylene chloride | 0.1/0.5 | ND | 1 | Pass |
| n-Pentane | 37/200 | ND | 5000 | Pass |
| Propane | 72/200 | ND | 5000 | Pass |
| Toluene | 49/200 | ND | 890 | Pass |
| Total xylenes (ortho-, meta-, para-) | 58/200 | ND | 2170 | Pass |
| Trichloroethylene | 0.5/0.5 | ND | 1 | Pass |

Heavy Metal Screen  **Pass**

02/02/2026

Method: MF-CHEM-16**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.033/0.101 | ND | 1.5 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.5 | Pass |
| Mercury | 0.014/0.05 | ND | 3 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |

Mycotoxin Screen  **Pass**

02/02/2026

Method: MF-CHEM-13**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|------------------|---------------|----------------|-------------|--------|
| Aflatoxin B1 | 2/5 | ND | - | - |
| Aflatoxin B2 | 2/5 | ND | - | - |
| Aflatoxin G1 | 2/5 | ND | - | - |
| Aflatoxin G2 | 2/5 | ND | - | - |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 6/18 | ND | 20 | Pass |

 ND = None Detected
 LOD = Limit of Detection
 LOQ = Limit of Quantitation

Reported by

Vu Lam
Lab Co Director

Scan to verify

Certificate Of Completion

Envelope Id: 1DF1A39E-9FD2-4411-8CA2-A024F4353129

Status: Completed

Subject: FP-26-0009 Relief Softgel 60ct.pdf

Source Envelope:

Document Pages: 5

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Vandana Kothari

AutoNav: Enabled

vandana.kothari@cvsciences.com

EnvelopeD Stamping: Enabled

IP Address: 64.207.219.8

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Record Tracking

Status: Original

Holder: Vandana Kothari

Location: DocuSign

2/5/2026 10:10:33 AM


vandana.kothari@cvsciences.com

Signer Events

Signature

Timestamp

Vandana Kothari



Sent: 2/5/2026 10:11:13 AM

vandana.kothari@cvsciences.com

Viewed: 2/5/2026 10:14:41 AM

DIRECTOR OF QUALITY

Signed: 2/5/2026 10:15:28 AM

CV Sciences - Part 11

Signature Adoption: Pre-selected Style

Security Level: Email, Account Authentication
(Required)

Signature ID:

87A410FF-F032-4873-8900-BEED0868E359

Using IP Address: 76.167.64.200

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I approve this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

2/5/2026 10:11:13 AM

Certified Delivered

Security Checked

2/5/2026 10:14:41 AM

Signing Complete

Security Checked

2/5/2026 10:15:28 AM

Completed

Security Checked

2/5/2026 10:15:28 AM

Payment Events

Status

Timestamps