

CV Sciences Certificate of Analysis



This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.

| SAMPLE ID: | PRODUCT NAME: |
|------------|---------------|
|------------|---------------|

Strength:

Lot Number:

Expiration Date:

| CANNABINOIDS* | MG/UNIT | METHOD |
|---------------|---------|--------|
|---------------|---------|--------|

CBD

CBDA

d9-THC

THCA-A

d8-THC

THCV

CBDV

CBDVA

CBGA

CBG

CBN

CBC

CBL

Total Cannabinoids

Sample Size

THC by Mass

| HEAVY METALS* | STATUS (PASS/FAIL) | METHOD |
|---------------|--------------------|--------|
|---------------|--------------------|--------|

Arsenic

Cadmium

Mercury

Lead

CV Sciences Certificate of Analysis



| MICROBIOLOGY* | STATUS (PASS/FAIL) | METHOD |
|-------------------|--------------------|--------|
| Mold/Mildew/Yeast | | |
| Aerobic Bacteria | | |
| Coliforms | | |
| E. Coli | | |
| Salmonella | | |
| Pseudomonas | | |

| PESTICIDES** | STATUS (PASS/FAIL) | METHOD |
|------------------|--------------------|--------|
| Total Pesticides | | |
| Mycotoxins | Pass | |

| RESIDUAL SOLVENTS** | STATUS (PASS/FAIL) | METHOD |
|-------------------------|--------------------|--------|
| Total Residual Solvents | | |

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.†

†Tested analytes and limits were set by CV Sciences, Inc.


DB Labs Sample ID #:

*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.

Anresco Laboratories Sample ID #:

**Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

QUALITY APPROVAL

| Prepared By / Date | Approved By / Date | Status |
|--------------------|---|--------|
| Vandana Kothari |  Signed by Vandana Kothari I approve this document 26-May-2020 10:41 PDT 87A410FFF03248738900BEE0868E359 | |



ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

CV SCIENCES, INC.
9530 Padgett Street, Suite 107
San Diego, CA 92126



SAMPLE INFORMATION

Sample No.: 1407932
Product Name: FP-26-0075 pluscbd 15mg 30ct softgel SKU 184 exp 03/28
Matrix: Edible (Capsule)
Lot #: 52803

Date Collected: 05/05/2026
Date Received: 05/04/2026
Date Reported: 05/08/2026

TEST SUMMARY

Cannabinoid Profile: ✔ Pass **Microbiological Screen:** ✔ Tested
Pesticide Residue Screen: ✔ Pass **Residual Solvent Screen:** ✔ Pass
Heavy Metal Screen: ✔ Pass **Mycotoxin Screen:** ✔ Pass

Cannabinoid Profile ✔ Pass

05/06/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.1333 mg/g
Limit of Quantitation 0.4000 mg/g

| Cannabinoid | mg/g | % | mg/serving | mg/package | Labeled mg/serving | % Difference | Status |
|---------------------------|--------|-------|------------|------------|--------------------|--------------|--------|
| Δ8-THC | ND | ND | ND | ND | - | - | - |
| Δ9-THC | <LOQ | <LOQ | <LOQ | <LOQ | - | - | Pass |
| Δ9-THCA | ND | ND | ND | ND | - | - | - |
| THCV | ND | ND | ND | ND | - | - | - |
| THCVA | ND | ND | ND | ND | - | - | - |
| CBD | 40.15 | 4.015 | 17.88 | 536.25 | 15 | 19.17 | - |
| CBDA | ND | ND | ND | ND | - | - | - |
| CBC | ND | ND | ND | ND | - | - | - |
| CBCA | ND | ND | ND | ND | - | - | - |
| CBDV | <LOQ | <LOQ | <LOQ | <LOQ | - | - | - |
| CBG | ND | ND | ND | ND | - | - | - |
| CBGA | ND | ND | ND | ND | - | - | - |
| CBN | ND | ND | ND | ND | - | - | - |
| Total THC | <LOQ | <LOQ | <LOQ | <LOQ | - | - | - |
| Total CBD | 40.15 | 4.015 | 17.88 | 536.25 | - | - | - |
| Total Cannabinoids | 40.15 | 4.015 | 17.88 | 536.25 | - | - | - |
| Sum of Cannabinoids | 40.15 | 4.015 | 17.88 | 536.25 | - | - | - |
| Serving Weight (g) | 0.4452 | | | | | | |
| Package Weight (g) | 13.356 | | | | | | |

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comment(s): Reported results and measurements are based off of a calculated hypothetical weight using the ratio between filling weight and total capsule weight as per client instruction. Only the filling material was tested.
Full Weight: 0.4452g, Fill Weight: 0.2633g, and Shell Weight: 0.1818g

Microbiological Screen

05/08/2026

| Analyte | Findings | Units | Instrument | Method |
|-----------------------|----------|-------|----------------------------|----------------------------|
| Standard Plate Count | <10 | cfu/g | - | FDA BAM |
| Yeast | <10 | cfu/g | - | FDA BAM |
| Mold | <10 | cfu/g | - | FDA BAM |
| Coliforms | <10 | cfu/g | - | FDA BAM - ECC AGAR |
| Escherichia coli | <10 | cfu/g | - | FDA BAM - ECC AGAR |
| Salmonella | Negative | /10g | Molecular Detection System | MF-MICRO-11 (AOAC 2016.01) |
| Staphylococcus aureus | Negative | /10g | - | USP <62> |

Pesticide Residue Screen ✔ Pass

05/06/2026

Method: MF-CHEM-13

Regulatory Standard* DCC

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm)* | Status |
|-------------------------|---------------|----------------|--------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.3 | Pass |
| Acephate | 0.02/0.06 | ND | 5.0 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 4.0 | Pass |
| Acetamiprid | 0.017/0.05 | ND | 5.0 | Pass |
| Aldicarb | 0.02/0.06 | ND | 0.02 | Pass |
| Azoxystrobin | 0.02/0.06 | ND | 40.0 | Pass |
| Bifenazate | 0.02/0.06 | ND | 5.0 | Pass |
| Bifenthrin | 0.04/0.10 | ND | 0.5 | Pass |
| Boscalid | 0.02/0.06 | ND | 10.0 | Pass |
| Captan | 0.2/0.6 | ND | 5.0 | Pass |
| Carbaryl | 0.02/0.06 | ND | 0.5 | Pass |
| Carbofuran | 0.017/0.05 | ND | 0.017 | Pass |
| Chlorantraniliprole | 0.02/0.06 | ND | 40.0 | Pass |
| Chlordane | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorfenapyr | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorpyrifos | 0.02/0.06 | ND | 0.02 | Pass |
| Clofentezine | 0.02/0.06 | ND | 0.5 | Pass |
| Coumaphos | 0.02/0.06 | ND | 0.02 | Pass |
| Cyfluthrin | 0.10/0.30 | ND | 1.0 | Pass |
| Cypermethrin | 0.10/0.30 | ND | 1.0 | Pass |
| Daminozide | 0.017/0.05 | ND | 0.017 | Pass |
| DDVP (Dichlorvos) | 0.013/0.04 | ND | 0.013 | Pass |
| Diazinon | 0.017/0.05 | ND | 0.2 | Pass |
| Dimethoate | 0.017/0.05 | ND | 0.017 | Pass |
| Dimethomorph | 0.017/0.05 | ND | 20.0 | Pass |
| Ethoprop(hos) | 0.02/0.06 | ND | 0.02 | Pass |
| Etofenprox | 0.02/0.06 | ND | 0.02 | Pass |
| Etoxazole | 0.02/0.06 | ND | 1.5 | Pass |
| Fenhexamid | 0.017/0.05 | ND | 10.0 | Pass |
| Fenoxycarb | 0.02/0.06 | ND | 0.02 | Pass |
| Fenpyroximate | 0.02/0.06 | ND | 2.0 | Pass |
| Fipronil | 0.02/0.06 | ND | 0.02 | Pass |
| Flonicamid | 0.02/0.06 | ND | 2.0 | Pass |
| Fludioxonil | 0.02/0.06 | ND | 30.0 | Pass |
| Hexythiazox | 0.02/0.06 | ND | 2.0 | Pass |
| Imazalil | 0.02/0.06 | ND | 0.02 | Pass |
| Imidacloprid | 0.02/0.06 | ND | 3.0 | Pass |
| Kresoxim Methyl | 0.02/0.06 | ND | 1.0 | Pass |
| Malathion | 0.017/0.05 | ND | 5.0 | Pass |
| Metalaxyl | 0.017/0.05 | ND | 15.0 | Pass |
| Methiocarb | 0.02/0.06 | ND | 0.02 | Pass |
| Methomyl | 0.013/0.04 | ND | 0.1 | Pass |
| Methyl parathion | 0.02/0.06 | ND | 0.02 | Pass |
| Mevinphos | 0.02/0.06 | ND | 0.02 | Pass |
| Myclobutanil | 0.02/0.06 | ND | 9.0 | Pass |
| Naled | 0.017/0.05 | ND | 0.5 | Pass |
| Oxamyl | 0.013/0.04 | ND | 0.2 | Pass |
| Paclobutrazol | 0.02/0.06 | ND | 0.02 | Pass |
| Pentachloronitrobenzene | 0.017/0.05 | ND | 0.2 | Pass |
| Permethrins | 0.10/0.30 | ND | 20.0 | Pass |
| Phosmet | 0.02/0.06 | ND | 0.2 | Pass |
| Piperonyl Butoxide | 0.02/0.06 | ND | 8.0 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.4 | Pass |
| Propiconazole | 0.02/0.06 | ND | 20.0 | Pass |
| Propoxur | 0.013/0.04 | ND | 0.013 | Pass |
| Pyrethrins | 0.15/0.50 | ND | 1.0 | Pass |
| Pyridaben | 0.017/0.05 | ND | 3.0 | Pass |
| Spinetoram | 0.02/0.06 | ND | 3.0 | Pass |
| Spinosad | 0.02/0.06 | ND | 3.0 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 12.0 | Pass |
| Spirotetramat | 0.02/0.06 | ND | 13.0 | Pass |
| Spiroxamine | 0.017/0.05 | ND | 0.017 | Pass |
| Tebuconazole | 0.02/0.06 | ND | 2.0 | Pass |
| Thiacloprid | 0.013/0.04 | ND | 0.013 | Pass |

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm)* | Status |
|-----------------|---------------|----------------|--------------|--------|
| Thiamethoxam | 0.02/0.06 | ND | 4.5 | Pass |
| Trifloxystrobin | 0.02/0.06 | ND | 30.0 | Pass |

Residual Solvent Screen ✔ Pass

05/06/2026

Method: MF-CHEM-32

Regulatory Standard* DCC

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|--------------------------------------|----------------|-----------------|---------------|--------|
| 1,2-Dichloroethane | 0.5/0.5 | ND | 1 | Pass |
| Acetone | 57/200 | ND | 5000 | Pass |
| Acetonitrile | 56/200 | ND | 410 | Pass |
| Benzene | 0.5/0.5 | ND | 1 | Pass |
| n-Butane | 45/200 | ND | 5000 | Pass |
| Chloroform | 0.5/0.5 | ND | 1 | Pass |
| Ethanol | 37/200 | ND | 5000 | Pass |
| Ethyl acetate | 38/200 | ND | 5000 | Pass |
| Ethyl ether | 37/200 | ND | 5000 | Pass |
| Ethylene oxide | 0.1/0.5 | ND | 1 | Pass |
| n-Heptane | 135/200 | ND | 5000 | Pass |
| n-Hexane | 49/200 | ND | 290 | Pass |
| Isopropyl alcohol | 57/200 | ND | 5000 | Pass |
| Methanol | 37/200 | ND | 3000 | Pass |
| Methylene chloride | 0.1/0.5 | ND | 1 | Pass |
| n-Pentane | 37/200 | ND | 5000 | Pass |
| Propane | 72/200 | ND | 5000 | Pass |
| Toluene | 49/200 | ND | 890 | Pass |
| Total xylenes (ortho-, meta-, para-) | 58/200 | ND | 2170 | Pass |
| Trichloroethylene | 0.5/0.5 | ND | 1 | Pass |

Heavy Metal Screen ✔ Pass

05/06/2026

Method: MF-CHEM-16

Regulatory Standard* DCC

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|---------|----------------|-----------------|---------------|--------|
| Arsenic | 0.033/0.101 | ND | 1.5 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.5 | Pass |
| Mercury | 0.014/0.05 | ND | 3 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |

Mycotoxin Screen ✔ Pass

05/06/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|------------------|---------------|----------------|-------------|--------|
| Aflatoxin B1 | 2/5 | ND | - | - |
| Aflatoxin B2 | 2/5 | ND | - | - |
| Aflatoxin G1 | 2/5 | ND | - | - |
| Aflatoxin G2 | 2/5 | ND | - | - |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 6/18 | ND | 20 | Pass |

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by



Vu Lam
Lab Co Director



Scan to verify

Certificate Of Completion

Envelope Id: C04C6175-5DCE-8E9E-839F-1CEC72A89E68

Status: Completed

Subject: FP-26-0075 15MG 30CT SOFTGELS.pdf

Source Envelope:

Document Pages: 5

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Vandana Kothari

AutoNav: Enabled

vandana.kothari@cvsciences.com

Envelopeld Stamping: Enabled

IP Address: 76.167.64.200

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Record Tracking

Status: Original

Holder: Vandana Kothari

Location: DocuSign

5/26/2026 10:39:56 AM

vandana.kothari@cvsciences.com

Signer Events

Vandana Kothari

vandana.kothari@cvsciences.com

DIRECTOR OF QUALITY

CV Sciences - Part 11

Security Level: Email, Account Authentication (Required)

Signature

Signed by Vandana Kothari



Vandana Kothari

I approve this document
26-May-2026 | 10:41 PDT

87A410FF03248738900BEED0868E359

Timestamp

Sent: 5/26/2026 10:40:44 AM

Viewed: 5/26/2026 10:41:05 AM

Signed: 5/26/2026 10:41:38 AM

Signature Adoption: Pre-selected Style

Signature ID:

87A410FF-F032-4873-8900-BEED0868E359

Using IP Address: 76.167.64.200

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I approve this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

5/26/2026 10:40:45 AM

Certified Delivered

Security Checked

5/26/2026 10:41:05 AM

Signing Complete

Security Checked

5/26/2026 10:41:38 AM

Completed

Security Checked

5/26/2026 10:41:38 AM

Payment Events

Status

Timestamps