

CV Sciences Certificate of Analysis



This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.

SAMPLE ID: FP-23-0127

PRODUCT NAME: PlusCBD 15mg 30ct Softgel

Strength: 15mg 30ct

Lot Number: 37033339

Expiration Date: 07/25

CANNABINOIDS*	MG/UNIT	METHOD
CBD	19.20	HPLC-UV
CBDA	<LOQ	HPLC-UV
d9-THC	<LOQ	HPLC-UV
THCA-A	<LOQ	HPLC-UV
d8-THC	<LOQ	HPLC-UV
THCV	<LOQ	HPLC-UV
CBDV	<LOQ	HPLC-UV
CBDVA	<LOQ	HPLC-UV
CBGA	<LOQ	HPLC-UV
CBG	<LOQ	HPLC-UV
CBN	<LOQ	HPLC-UV
CBC	0.30	HPLC-UV
CBL	<LOQ	HPLC-UV

Total Cannabinoids 19.5 mg/unit

Sample Size 0.4074g

THC by Mass <0.013%

<LOQ = Below Limit of Quantitation; LOQ = 0.013%

HEAVY METALS*	STATUS (PASS/FAIL)	METHOD
Arsenic	PASS	ICP-MS
Cadmium	PASS	ICP-MS
Mercury	PASS	ICP-MS
Lead	PASS	ICP-MS

CV Sciences Certificate of Analysis



MICROBIOLOGY*	STATUS (PASS/FAIL)	METHOD
Mold/Mildew/Yeast	PASS	Petrifilm or Agar Plates
Aerobic Bacteria	PASS	Petrifilm
Coliforms	PASS	Petrifilm
E. Coli	PASS	Blood Agar and PCR
Salmonella	PASS	Salmonella Petrifilm and PCR
Pseudomonas	PASS	Centrimide Selective Agar

PESTICIDES**	STATUS (PASS/FAIL)	METHOD
Total Pesticides	PASS	HPLC-MS
Mycotoxins	Pass	

RESIDUAL SOLVENTS**	STATUS (PASS/FAIL)	METHOD
Total Residual Solvents	PASS	HS-GC

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.†

†Tested analytes and limits were set by CV Sciences, Inc.

DB Labs Sample ID #: 2310DBL0043.1883

*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.

Anresco Laboratories Sample ID #: 1177413

**Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

This Certificate of Analysis has been generated to document product test results. The "Approved By" signature does not indicate finished product release for distribution.

QUALITY APPROVAL

Prepared By / Date	Approved By / Date	Status
vandana kothari	 <small>DocuSigned by Vandana Kothari</small> <small>I approve this document</small> <small>20-Oct-2023 11:11 PDT</small> <small>87A410FFF03248738900BEEED0868E359</small>	PASS

October 18, 2023

CV SCIENCES, INC.

9530 Padgett Street, Suite 107
 San Diego, CA 92126

Order No. 549395
 Sample No. 1177413

SAMPLE INFORMATION

Description FP-23-0127 plusCBD 15mg 30ct softgel SKU 184 exp 07/25
Lot Number 37033339
Category (Type) Non-Inhalable Edible (Capsule)
Received October 16, 2023

ANALYTICAL RESULTS

Analysis Pesticide Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date October 16, 2023 to October 18, 2023

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Pacllobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	<LOQ (0.024)	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Reported by
Anresco, Inc.

ND = None Detected



Alda Tarantino
 Analyst II

October 18, 2023

If there are any questions with this report, please contact "compliance@anresco.com".



Certificate of Analysis

CV Sciences, Inc.

10070 Barnes Canyon Road
San Diego, CA 92121
Vandana Kothari

Sample

2310DBL0043.1883

Batch FP-23-0127
Lot 37033339

Ordered 10/16/2023

Completed 10/19/2023

plusCBD 15mg 30ct softgel SKU 184 exp 07/25

Cannabinoids				
	19.20	4.714	0.4074	
Total CBD (mg/unit)	% Total CBD		Unit weight (g)	
Cannabinoid	LOQ %	Mass %	Mass mg/g	Concentration
CBD	0.013	4.714	47.14	<div style="width: 100%; height: 10px; background-color: green;"></div>
CBDA	0.013	<LOQ	<LOQ	
d9-THC	0.013	<LOQ	<LOQ	
THCA-A	0.013	<LOQ	<LOQ	
d8-THC	0.013	<LOQ	<LOQ	
THCV	0.013	<LOQ	<LOQ	
CBDV	0.013	<LOQ	<LOQ	
CBDVA	0.013	<LOQ	<LOQ	
CBGA	0.013	<LOQ	<LOQ	
CBG	0.013	<LOQ	<LOQ	
CBN	0.013	<LOQ	<LOQ	
CBC	0.013	0.074	0.74	
CBL	0.013	<LOQ	<LOQ	

Total CBD = CBDA + CBD

Microbiology				
Quantitative Analysis	Status	Sample	LOQ	Limit
Mold/Mildew/Yeast	PASS	<LOQ	100	10,000
Enterobacteriaceae	PASS	<LOQ	100	1,000
Aerobic Bacteria	PASS	<LOQ	1000	100,000
Coliforms	PASS	<LOQ	100	1,000
Qualitative Analysis		Detected or Not-detected		
E. Coli	PASS	Not-detected		
Salmonella	PASS	Not-detected		
Pseudomonas	PASS	Not-detected		

Heavy Metals				
Compound	Status	Sample	LOQ	Limit
Arsenic	PASS	<LOQ	121	1500
Cadmium	PASS	<LOQ	121	500
Mercury	PASS	<LOQ	121	1000
Lead	PASS	<LOQ	121	500

- The hemp extract is the product of a batch tested by the independent testing laboratory;
- The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of a random sample of the batch; and
- The batch does not contain contaminants unsafe for human consumption.*



Glen Marquez
Director

Sherri Defreese
Quality Control



4439 Polaris Ave.
Las Vegas, NV 89103
(702)729-5180
www.kaychalabs.com

The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation. NA = Not Analyzed. ND = Not Detected. PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MMEH 61887736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. *Tested analytes and limits were set by the customer. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.

October 18, 2023

CV SCIENCES, INC.

9530 Padgett Street, Suite 107
 San Diego, CA 92126

Order No. 549395
 Sample No. 1177413

SAMPLE INFORMATION

Description FP-23-0127 plusCBD 15mg 30ct softgel SKU 184 exp 07/25
Lot Number 37033339
Category (Type) Non-Inhalable Edible (Capsule)
Received October 16, 2023

ANALYTICAL RESULTS

Analysis Mycotoxins Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date October 16, 2023 to October 18, 2023

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by
Anresco, Inc.

ND = None Detected



Alda Tan
 Analyst II

October 18, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

October 18, 2023

CV SCIENCES, INC.9530 Padgett Street, Suite 107
San Diego, CA 92126Order No. 549395
Sample No. 1177413**SAMPLE INFORMATION**

Description FP-23-0127 plusCBD 15mg 30ct softgel SKU 184 exp 07/25
Lot Number 37033339
Category (Type) Non-Inhalable Edible (Capsule)
Received October 16, 2023

ANALYTICAL RESULTS

Analysis Residual Solvent Screen ✔ Pass
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method MF-CHEM-32
Analysis Date October 16, 2023 to October 18, 2023

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

Reported by
Anresco, Inc.

ND = None Detected


 Alma Dorantes
 Analyst I



October 18, 2023

If there are any questions with this report, please contact "compliance@anresco.com".