

CV Sciences Certificate of Analysis



This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.

SAMPLE ID: FP-26-0150**PRODUCT NAME:** plusCBD 50mg 90ct Softgels

Strength: 50MG 90CT

Lot Number: 52849

Expiration Date: 03/28

CANNABINOIDS'	MG/UNIT	METHOD
CBD	54.32	HPLC-UV
CBDA	ND	HPLC-UV
d9-THC	ND	HPLC-UV
THCA-A	NT	HPLC-UV
d8-THC	ND	HPLC-UV
THCV	ND	HPLC-UV
CBDV	0.24	HPLC-UV
CBDVA	NT	HPLC-UV
CBGA	ND	HPLC-UV
CBG	<LOQ	HPLC-UV
CBN	ND	HPLC-UV
CBC	ND	HPLC-UV
CBL	NT	HPLC-UV

Total Cannabinoids 54.56 mg/unit

Sample Size 0.6058g

THC by Mass < 0.4000 mg/g

<LOQ = Below Limit of Quantitation; LOQ = 0.4000 mg/l

HEAVY METALS	STATUS (PASS/FAIL)	METHOD
Arsenic	PASS	ICP-MS
Cadmium	PASS	ICP-MS
Mercury	PASS	ICP-MS
Lead	PASS	ICP-MS

CV Sciences Certificate of Analysis



MICROBIOLOGY [†]	STATUS (PASS/FAIL)	METHOD
Mold/Mildew/Yeast	PASS	Petrifilm or Agar Plates
Aerobic Bacteria	PASS	Petrifilm
Coliforms	PASS	Petrifilm
E. Coli	PASS	Blood Agar and PCR
Salmonella	PASS	Salmonella Petrifilm and PCR
Pseudomonas	NT	Centrimide Selective Agar

PESTICIDES**	STATUS (PASS/FAIL)	METHOD
Total Pesticides	PASS	HPLC-MS
Mycotoxins	Pass	

RESIDUAL SOLVENTS	STATUS (PASS/FAIL)	METHOD
Total Residual Solvents	PASS	HS-GC

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.[†]

[†]Tested analytes and limits were set by CV Sciences, Inc.

Anresco Laboratories Sample ID #: 1442561

**Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

This Certificate of Analysis has been generated to document product test results. The "Approved By" signature does not indicate finished product release for distribution.

QUALITY APPROVAL

Prepared By / Date

Approved By / Date

Status

Vandana Kothari

PASS

Signed by Vandana Kothari

I approve this document
26-Sep-2026 | 11:53 PDT
87A410FFF03248738900BEED0868E359



September 21, 2026

CV SCIENCES, INC.

9530 Padgett Street, Suite 107
San Diego, CA 92126

Order No. 596897
Sample No. 1442561

SAMPLE INFORMATION

Description FP-26-0150Pluscbd 50mg 90ct softgels SKU 401 exp 03/28
Lot Number 52849
Received September 14, 2026

ANALYTICAL RESULTS

Analysis Date September 14, 2026 to September 21, 2026

Findings	Analysis	Results	Method
	Standard Plate Count	<10 cfu/g	FDA BAM
	Yeast	<10 cfu/g	FDA BAM
	Mold	<10 cfu/g	FDA BAM
	Coliforms	<10 cfu/g	FDA BAM - ECC AGAR
	Escherichia coli	<10 cfu/g	FDA BAM - ECC AGAR
	Salmonella	Negative /10g	MF-MICRO-11 (AOAC 2016.01)
	Staphylococcus aureus	Negative /10g	USP <62>

Reported by
Anresco, Inc.



Allen Zhu
Analyst

If there are any questions with this report, please contact "compliance@anresco.com".


page 1 of 1

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

CV SCIENCES, INC.
9530 Padgett Street, Suite 107
San Diego, CA 92126



SAMPLE INFORMATION

Sample No.: 1442561
Product Name: FP-26-0150Pluscbd 50mg 90ct softgels SKU 401 exp 03/28
Matrix: Edible (Capsule)
Lot #: 52849

Date Collected: 09/11/2026
Date Received: 09/14/2026
Date Reported: 09/17/2026

TEST SUMMARY

Cannabinoid Profile: ✔ Pass
Residual Solvent Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass

Pesticide Residue Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass

Cannabinoid Profile ✔ Pass

09/16/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.1333 mg/g
Limit of Quantitation 0.4000 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Labeled mg/serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	-	-	-
Δ9-THC	ND	ND	ND	ND	-	-	Pass
Δ9-THCA	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	-	-	-
CBD	89.66	8.966	54.32	4888.36	50	8.63	-
CBDA	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	-	-	-
CBDV	0.40	0.040	0.24	21.85	-	-	-
CBG	<LOQ	<LOQ	<LOQ	<LOQ	-	-	-
CBGA	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	-	-	-
Total THC	ND	ND	ND	ND	-	-	-
Total CBD	89.66	8.966	54.32	4888.36	-	-	-
Total Cannabinoids	90.06	9.006	54.56	4910.21	-	-	-
Sum of Cannabinoids	90.06	9.006	54.56	4910.21	-	-	-
Serving Weight (g)	0.6058						
Package Weight (g)	54.522						

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comment(s):

Reported results and measurements are based off of a calculated hypothetical weight using the ratio between filling weight and total capsule weight as per client instruction. Only the filling material was tested.

Full: 0.6058 g
Shell: 0.2040 g
Fill: 0.4018 g

Pesticide Residue Screen ✔ Pass

09/17/2026

Method: MF-CHEM-13
Regulatory Standard* DCC
Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)*	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass

Certificate of Analysis

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)*	Status
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Residual Solvent Screen ✔ Pass

09/16/2026

Method: MF-CHEM-32

Regulatory Standard* DCC

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen ✔ Pass

09/16/2026

Method: MF-CHEM-16

Regulatory Standard* DCC

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Arsenic	0.033/0.101	ND	1.5	Pass
Cadmium	0.047/0.141	ND	0.5	Pass
Mercury	0.014/0.05	ND	3	Pass
Lead	0.107/0.324	ND	0.5	Pass

Mycotoxin Screen ✔ Pass

09/17/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by




Vu Lam
Lab Co Director



Scan to verify

Certificate Of Completion

Envelope Id: 330394DB-C8CC-84E3-8047-8452AA2130CA

Subject: FP-26-0150 plusCBD 50mg 90ct COA.pdf

Source Envelope:

Document Pages: 6

Certificate Pages: 1

AutoNav: Enabled

Envelopeld Stamping: Enabled

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Status: Completed

Envelope Originator:

Vandana Kothari

2688 South RainbowBlvd, Suite B

Las Vegas, CA 89146

vandana.kothari@cvsciences.com

IP Address: 24.30.177.189

Record Tracking

Status: Original

9/26/2026 11:52:52 AM

Holder: Vandana Kothari

vandana.kothari@cvsciences.com

Location: DocuSign

Signer Events

Vandana Kothari

vandana.kothari@cvsciences.com

DIRECTOR OF QUALITY

CV Sciences - Part 11

Security Level: Email, Account Authentication (Required), Logged in

Signature

Signed by Vandana Kothari



Vandana Kothari

I approve this document
26-Sep-2026 | 11:53 PDT

87A410FF03248738900BEED0868E359

Signature Adoption: Pre-selected Style

Signature ID:

87A410FF-F032-4873-8900-BEED0868E359

Using IP Address: 24.30.177.189

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I approve this document

Timestamp

Sent: 9/26/2026 11:53:30 AM

Viewed: 9/26/2026 11:53:45 AM

Signed: 9/26/2026 11:54:13 AM

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

9/26/2026 11:53:30 AM

Certified Delivered

Security Checked

9/26/2026 11:53:45 AM

Signing Complete

Security Checked

9/26/2026 11:54:13 AM

Completed

Security Checked

9/26/2026 11:54:13 AM

Payment Events

Status

Timestamps