

# CV Sciences Certificate of Analysis

**This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.**

**SAMPLE ID:**
**PRODUCT NAME:**

Strength:

Lot Number:

Expiration Date:

CANNABINOID*	MG/UNIT	METHOD
CBD		
CBDA		
d9-THC		
THCA-A		
d8-THC		
THCV		
CBDV		
CBDVA		
CBGA		
CBG		
CBN		
CBC		
CBL		
Total Cannabinoids		
Sample Size		
THC by Mass		

HEAVY METALS*	STATUS (PASS/FAIL)	METHOD
Arsenic		
Cadmium		
Mercury		
Lead		

# CV Sciences Certificate of Analysis

MICROBIOLOGY*	STATUS (PASS/FAIL)	METHOD
Mold/Mildew/Yeast		
Aerobic Bacteria		
Coliforms		
E. Coli		
Salmonella		
Pseudomonas		

PESTICIDES**	STATUS (PASS/FAIL)	METHOD
Total Pesticides		
Mycotoxins	Pass	

RESIDUAL SOLVENTS**	STATUS (PASS/FAIL)	METHOD
Total Residual Solvents		

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.<sup>†</sup>

<sup>†</sup>Tested analytes and limits were set by CV Sciences, Inc.

DB Labs Sample ID #:

\*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.


Anresco Laboratories Sample ID #:

\*\*Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

QUALITY APPROVAL		
Prepared By / Date	Approved By / Date	Status
Vandana Kothari	<p>Signed by Vandana Kothari</p>  <p>Vandana Kothari</p> <p>87A410FFF03248738900BEED0868E359</p>	<p>I approve this document</p> <p>24-Nov-2025   19:24 PST</p>

**ANALYZED BY:**

Anresco Laboratories  
 1375 Van Dyke Avenue,  
 San Francisco, CA 94124  
 C8-0000052-LIC

**Cannabinoid Profile**

11/21/2025

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection:** 0.1333 mg/g  
**Limit of Quantitation:** 0.4000 mg/g

Cannabinoid	mg/g	%	mg/serving	Labeled mg/serving	% Difference
Δ8-THC	ND	ND	ND	-	-
Δ9-THC	1.51	0.151	1.28	1.25	2.16
Δ9-THCA	ND	ND	ND	-	-
THCV	ND	ND	ND	-	-
THCVA	ND	ND	ND	-	-
CBD	16.81	1.681	14.17	12.5	13.38
CBDA	ND	ND	ND	-	-
CBC	ND	ND	ND	-	-
CBCA	ND	ND	ND	-	-
CBDV	<LOQ	<LOQ	<LOQ	-	-
CBG	<LOD	<LOD	<LOD	-	-
CBGA	ND	ND	ND	-	-
CBN	ND	ND	ND	-	-
Total THC	1.51	0.151	1.28	-	-
Total CBD	16.81	1.681	14.17	-	-
Total Cannabinoids	18.32	1.832	15.45	-	-
Sum of Cannabinoids	18.32	1.832	15.45	-	-
<b>Serving Weight (g)</b>	0.8431				

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)

Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids =  $\Sigma$  (neutral cannabinoids) + [0.877 \*  $\Sigma$  (acidic cannabinoids)]

**Comment(s):** Reported results and measurements are based off of a calculated hypothetical weight using the ratio between filling weight and total capsule weight as per client instruction. Only the filling material was tested.

**Microbiological Screen**

11/24/2025

**Method:** USP <62>

Analyte	Findings	Units
Salmonella	Negative	/10g
Staphylococcus aureus	Negative	/10g

**Pesticide Residue Screen** Pass

11/21/2025

**Method:** MF-CHEM-13**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlорfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxy carb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxy	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass

# Certificate of Analysis

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

**Residual Solvent Screen**  **Pass**

11/21/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

**Heavy Metal Screen**  **Pass**

11/21/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.003/0.05	ND	1.5	Pass
Cadmium	0.008/0.05	ND	0.5	Pass
Mercury	0.002/0.05	ND	3	Pass
Lead	0.01/0.125	ND	0.5	Pass

**Mycotoxin Screen**  **Pass**

11/21/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) &amp; Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

 ND = None Detected  
 LOD = Limit of Detection  
 LOQ = Limit of Quantitation

Reported by

  
  
 Zachary Eisenberg  
 Vice President


Scan to verify

## Certificate Of Completion

Envelope Id: 97F0C9DC-EAC7-40AE-BE54-13678B307919

Status: Completed

Subject: FP-25-0146 COA.pdf

Source Envelope:

Document Pages: 5

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Vandana Kothari

AutoNav: Enabled

vandana.kothari@cvsciences.com

EnvelopeD Stamping: Enabled

IP Address: 64.207.219.136

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

## Record Tracking

Status: Original

Holder: Vandana Kothari

Location: DocuSign

11/24/2025 7:16:19 PM

vandana.kothari@cvsciences.com

### Signer Events

### Signature

### Timestamp

Vandana Kothari



Sent: 11/24/2025 7:22:12 PM

vandana.kothari@cvsciences.com

Viewed: 11/24/2025 7:23:33 PM

DIRECTOR OF QUALITY

Signed: 11/24/2025 7:24:51 PM

CV Sciences - Part 11

Signature Adoption: Pre-selected Style

Security Level: Email, Account Authentication  
(Required)

Signature ID:

87A410FF-F032-4873-8900-BEED0868E359

Using IP Address: 103.172.156.162

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I approve this document

### Electronic Record and Signature Disclosure:

Not Offered via DocuSign

### In Person Signer Events

### Signature

### Timestamp

### Editor Delivery Events

### Status

### Timestamp

### Agent Delivery Events

### Status

### Timestamp

### Intermediary Delivery Events

### Status

### Timestamp

### Certified Delivery Events

### Status

### Timestamp

### Carbon Copy Events

### Status

### Timestamp

### Witness Events

### Signature

### Timestamp

### Notary Events

### Signature

### Timestamp

### Envelope Summary Events

### Status

### Timestamps

Envelope Sent

Hashed/Encrypted

11/24/2025 7:22:12 PM

Certified Delivered

Security Checked

11/24/2025 7:23:33 PM

Signing Complete

Security Checked

11/24/2025 7:24:51 PM

Completed

Security Checked

11/24/2025 7:24:51 PM

### Payment Events

### Status

### Timestamps