

CV Sciences Certificate of Analysis

This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.

SAMPLE ID:

PRODUCT NAME:

Strength:

Lot Number:

Expiration Date:

CANNABINOID*	MG/UNIT	METHOD
CBD		
CBDA		
d9-THC		
THCA-A		
d8-THC		
THCV		
CBDV		
CBDVA		
CBGA		
CBG		
CBN		
CBC		
CBL		
Total Cannabinoids		
Sample Size		
THC by Mass		

HEAVY METALS*	STATUS (PASS/FAIL)	METHOD
Arsenic		
Cadmium		
Mercury		
Lead		

CV Sciences Certificate of Analysis

MICROBIOLOGY*	STATUS (PASS/FAIL)	METHOD
Mold/Mildew/Yeast		
Aerobic Bacteria		
Coliforms		
E. Coli		
Salmonella		
Pseudomonas		
PESTICIDES**	STATUS (PASS/FAIL)	METHOD
Total Pesticides		
Mycotoxins	Pass	
RESIDUAL SOLVENTS**	STATUS (PASS/FAIL)	METHOD
Total Residual Solvents		

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.[†]

[†]Tested analytes and limits were set by CV Sciences, Inc.

DB Labs Sample ID #:

*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.

Anresco Laboratories Sample ID #:

**Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

QUALITY APPROVAL		
Prepared By / Date	Approved By / Date	Status
Vandana Kothari	Signed by Vandana Kothari  Vandana Kothari <small>30-Jun-2025 08:59 PST</small> <small>87A410FF03248738900BEED0868E359</small>	

ANALYZED BY:

Anresco Laboratories
 1375 Van Dyke Avenue,
 San Francisco, CA 94124
 C8-0000052-LIC

**CUSTOMER:**

CV SCIENCES, INC.
 9530 Padgett Street, Suite 107
 San Diego, CA 92126

SAMPLE INFORMATION

Sample No.: 1366706
Product Name: FP-25-0156 Plus Reserve
Matrix: 750mg Liquid DCM EXP 12/27
Lot #: Edible (Tincture)
52740

Date Collected: 12/09/2025
Date Received: 12/10/2025
Date Reported: 12/15/2025

TEST SUMMARY

Cannabinoid Profile: Pass
Pesticide Residue Screen: Pass
Heavy Metal Screen: Pass

Microbiological Screen: Tested
Residual Solvent Screen: Pass
Mycotoxin Screen: Pass

Cannabinoid Profile Pass

12/10/2025

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection: 0.067 mg/g
Limit of Quantitation: 0.2 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/serving	mg/package	Labeled mg/serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	ND	-	-	-
Δ9-THC	2.39	0.239	2.20	2.20	65.90	2.5	12.14	Pass
Δ9-THCA	ND	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	ND	-	-	-
CBD	27.20	2.720	24.98	24.98	749.26	25	0.10	-
CBDA	ND	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	ND	-	-	-
CBDV	0.22	0.022	0.20	0.20	6.12	-	-	-
CBG	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	-	-	-
CBGA	ND	ND	ND	ND	ND	-	-	-
CBN	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	-	-	-
Total THC	2.39	0.239	2.20	2.20	65.90	-	-	-
Total CBD	27.20	2.720	24.98	24.98	749.26	-	-	-
Total Cannabinoids	29.81	2.981	27.38	27.38	821.27	-	-	-
Sum of Cannabinoids	29.81	2.981	27.38	27.38	821.27	-	-	-
Serving Weight (g)	0.9182							
Package Weight (g)	27.546							
g/ml Conversion Factor	0.9182							

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)

Total CBD = CBD + (0.877 * CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]**Comment(s):** The result of this sample is confirmed with a retest.**Microbiological Screen**

12/15/2025

Analyte	Findings	Units	Method
Standard Plate Count	<10	cfu/g	FDA BAM
Yeast	<10	cfu/g	FDA BAM
Mold	<10	cfu/g	FDA BAM
Coliforms	<10	cfu/g	FDA BAM - ECC AGAR
Escherichia coli	<10	cfu/g	FDA BAM - ECC AGAR
Salmonella	Negative	/10g	MF-MICRO-11 (AOAC 2016.01)
Staphylococcus aureus	Negative	/10g	USP <62>

Pesticide Residue Screen Pass

12/12/2025

Method: MF-CHEM-13**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlорfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxy carb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxy	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass

Certificate of Analysis

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Residual Solvent Screen  **Pass**

12/12/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	Not Applicable	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen  **Pass**

12/12/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.033/0.101	ND	1.5	Pass
Cadmium	0.047/0.141	ND	0.5	Pass
Mercury	0.014/0.05	ND	3	Pass
Lead	0.107/0.324	ND	0.5	Pass

Mycotoxin Screen  **Pass**

12/12/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

 ND = None Detected
 LOD = Limit of Detection
 LOQ = Limit of Quantitation

Reported by


 Anresco Laboratories
 INCORPORATED
 OCTOBER 1, 1978
 CALIFORNIA

 Vu Lam
 Lab Co Director


Scan to verify

Certificate Of Completion

Envelope Id: CACC137D-41D8-47AD-B3D0-79DD054BB048

Status: Completed

Subject: FP-25-0156 plusCBD 750mg DCM liquid.pdf

Source Envelope:

Document Pages: 5

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Vandana Kothari

AutoNav: Enabled

vandana.kothari@cvsciences.com

EnvelopeD Stamping: Enabled

IP Address: 64.207.219.7

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Record Tracking

Status: Original

Holder: Vandana Kothari

Location: DocuSign

12/30/2025 6:58:16 AM

vandana.kothari@cvsciences.com

Signer Events

Signature

Timestamp

Vandana Kothari



Sent: 12/30/2025 6:58:48 AM

vandana.kothari@cvsciences.com

Viewed: 12/30/2025 6:59:13 AM

DIRECTOR OF QUALITY

Signed: 12/30/2025 6:59:39 AM

CV Sciences - Part 11

Signature Adoption: Pre-selected Style

Security Level: Email, Account Authentication
(Required)

Signature ID:

87A410FF-F032-4873-8900-BEED0868E359

Using IP Address: 76.167.64.200

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I approve this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

12/30/2025 6:58:48 AM

Certified Delivered

Security Checked

12/30/2025 6:59:13 AM

Signing Complete

Security Checked

12/30/2025 6:59:39 AM

Completed

Security Checked

12/30/2025 6:59:39 AM

Payment Events

Status

Timestamps