PRODUCT NAME.

CV Sciences Certificate of Analysis



This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.

TROBOCT NAME.	SAMI EL ID.	
Strength:	Expiration Date:	
Lot Number:	Total Quantity Produced:	
PHYSICAL PROPERTIES ST.	ATUS (PASS/FAIL)	METHOD
Appearance		
Color		
Aroma		
CANNABINOIDS*	MG/UNIT	METHOD
CBD		
CBDA		
d9-THC		
THCA-A		
d8-THC		
THCV		
CBDV		
CBDVA		
CBGA		
CBG		
CBN		
CBC		
CBL		
Total Cannabinoids		
Unit Weight		
THC by Mass		
OTHER ACTIVE INGREDIENTS**	MG/UNIT	METHOD
Palmitoylethanolamide (PEA)		
HEAVY METALS* ST.	ATUS (PASS/FAIL)	METHOD
Arsenic		
Cadmium		
Mercury		
Lead		

CV Sciences Certificate of Analysis



MICROBIOLOGY*	STATUS (PASS/FAIL)	METHOD
Mold/Mildew/Yeast		
Aerobic Bacteria		
Coliforms		
E. Coli		
Salmonella		
Pseudomonas		

PESTICIDES***	STATUS (PASS/FAIL)	METHOD
Total Pesticides		

RESIDUAL SOLVENTS***	STATUS (PASS/FAIL)	METHOD
Total Residual Solvents		

Total Residual Solvents

- 1. The hemp extract is the product of a batch tested by the independent testing laboratory;
- 2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
- 3. The batch does not contain contaminants unsafe for human consumption.

†Tested analytes and limits were set by CV Sciences, Inc.

DB Labs Sample ID #:

*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.

Advanced Botanical Consulting & Testing Sample ID #:

**Actual analytical results obtained by Advanced Botanical Consulting & Testing, Inc. (Tustin, CA), CV Sciences' third-party testing laboratory.

Anresco Laboratories Sample ID #:

***Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

This Certificate of Analysis has been generated to document product test results.

The "Prepared By" signature does not indicate finished product release for distribution.

Prepared By / Date Approved By / Date Status Vandana Kothari Signed by Vandana Kothari PASS Vandana Kothari PASS



ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



CUSTOMER:

CV SCIENCES, INC. 9530 Padgett Street, Suite 107 San Diego, CA 92126

SAMPLE INFORMATION

Sample No.: FP-25-0112 pluscbd Relief Softgels 60ct SKU 608 exp09/27 Product Name:

Matrix: Edible (Capsule) Lot #: 52689

Date Received: 09/18/2025 **Date Reported:** 09/22/2025

Date Collected: 09/18/2025

TEST SUMMARY

Pass Tested Cannabinoid Profile: Microbiological Screen: **Pass Pesticide Residue Screen: Pass** Residual Solvent Screen: Pass Pass **Heavy Metal Screen:** Mycotoxin Screen: Pass PEA:

Cannabinoid Profile Pass

Method:

Instrument:

MF-CHEM-15

Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Detection Limit of Quantitation 0.4000 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Status
Δ8-THC	ND	ND	ND	ND	-
Δ9-ΤΗС	ND	ND	ND	ND	Pass
Δ9-THCA	ND	ND	ND	ND	-
THCV	ND	ND	ND	ND	-
THCVA	ND	ND	ND	ND	-
CBD	18.57	1.857	18.16	1089.45	-
CBDA	16.59	1.659	16.22	973.03	-
CBC	ND	ND	ND	ND	-
CBCA	ND	ND	ND	ND	-
CBDV	ND	ND	ND	ND	-
CBG	ND	ND	ND	ND	-
CBGA	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<>	<loq< td=""><td>-</td></loq<>	-
CBN	ND	ND	ND	ND	-
Total THC	ND	ND	ND	ND	-
Total CBD	33.12	3.312	32.38	1942.79	-
Total Cannabinoids	33.12	3.312	32.38	1942.79	-
Sum of Cannabinoids	35.16	3.516	34.37	2062.48	-
Serving Weight (g)	0.9776				
Package Weight (g)	58.656				

Total THC = $\Delta 8$ -THC + $\Delta 9$ -THC + (0.877 * THCA)

Total CBD = CBD + (0.877 * CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Reported results and measurements are based off of a calculated hypothetical weight using the ratio between filling weight and total capsule weight as per client instruction. Only the filling material was tested.

Comments

Whole Weight: 0.9776 g, Fill Weight: 0.6514 g, Shell Weight: 0.3262 g

09/22/2025 Microbiological Screen

Analyte	Findings	Units	Method
Standard Plate Count	<10	cfu/g	FDA BAM
Yeast	<10	cfu/g	FDA BAM
Mold	<10	cfu/g	FDA BAM
Coliforms	<10	cfu/g	FDA BAM - ECC AGAR
Escherichia coli	<10	cfu/g	FDA BAM - ECC AGAR
Salmonella	Negative	/10g	MF-MICRO-11 (AOAC 2016.01)
Staphylococcus aureus	Negative	/10g	USP <62>

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1342585 Lot #: 52689

Page **1** of **4** Report ID: S-3

09/18/2025



Pesticide Residue Screen Pass

09/22/2025

MF-CHEM-13 Method:

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
		ND ND	0.5	
Carbaryl	0.02/0.06			Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND ND	0.2	Pass
Dimethoate	0.017/0.05	ND ND	0.017	Pass
	0.017/0.05			
Dimethomorph		ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND ND	5.0	Pass
		ND ND		
Metalaxyl	0.017/0.05		15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	
THIAITIEUTOXAITI	0.02/0.00	עאו	4.5	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1342585 Lot #: 52689

Page **2** of **4** Report ID: S-3



LOD/LOQ (ppm) Findings (ppm) Limit (ppm) Trifloxystrobin 0.02/0.06 30.0 Pass

Residual Solvent Screen Pass

09/22/2025

MF-CHEM-32 Method:

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen Pass

09/22/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.003/0.05	<loq< td=""><td>1.5</td><td>Pass</td></loq<>	1.5	Pass
Cadmium	0.008/0.05	ND	0.5	Pass
Mercury	0.002/0.05	ND	3	Pass
Lead	0.01/0.125	ND	0.5	Pass

Mycotoxin Screen 09/22/2025

MF-CHEM-13 Method:

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

PEA 09/20/2025

Micronized/ultramicronized palmitoylethanolamide displays superior oral efficacy compared to nonmicronized palmitoylethanolamide in a rat model of Method: inflammatory pain, Journal of Neuroinflammation 2014, 11:136

Instrument: HPLC-DAD

Analyte **Findings** Units Palmitoylethanolamide 208 mg/softgel

318.8 mg PEA/g Comments

Softgel fill weight =0.6514g

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1342585

Lot #: 52689

Page 3 of 4 Report ID: S-3

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -Certificate Number AT-1551.



ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation



Scan to verify





Certificate Of Completion

Envelope Id: FD77FD6E-54F1-4775-A6D8-99D61C2FCCCE

Subject: FP-25-0112 Relief Softgel 60ct.pdf

Source Envelope:

Document Pages: 6 Signatures: 1 Envelope Originator: Initials: 0 Certificate Pages: 1 Vandana Kothari

AutoNav: Enabled

Envelopeld Stamping: Enabled

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Status: Completed

vandana.kothari@cvsciences.com

IP Address: 64.207.219.7

Sent: 9/23/2025 10:45:38 AM

Viewed: 9/23/2025 10:47:41 AM

Signed: 9/23/2025 10:49:11 AM

Record Tracking

Status: Original Holder: Vandana Kothari Location: DocuSign

9/23/2025 10:44:34 AM vandana.kothari@cvsciences.com

Timestamp

Signer Events Vandana Kothari

vandana.kothari@cvsciences.com

DIRECTOR OF QUALITY CV Sciences - Part 11

Security Level: Email, Account Authentication

(Required)

Vandana kothani

Signature Adoption: Pre-selected Style

Signature ID:

Signature

87A410FF-F032-4873-8900-BEED0868E359

Using IP Address: 76.167.64.200

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I approve this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events		
riotally Evolue	Signature	Timestamp
Envelope Summary Events	Signature Status	Timestamp Timestamps
·	_	·
Envelope Summary Events	Status	Timestamps
Envelope Summary Events Envelope Sent	Status Hashed/Encrypted	Timestamps 9/23/2025 10:45:38 AM
Envelope Summary Events Envelope Sent Certified Delivered	Status Hashed/Encrypted Security Checked	Timestamps 9/23/2025 10:45:38 AM 9/23/2025 10:47:41 AM