

CV Sciences Certificate of Analysis



This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.

SAMPLE ID: FP-26-0147**PRODUCT NAME:** pluscbd Relief Softgels 30ct

Strength: 30mg 30ct

Lot Number: 52848

Expiration Date: 08/28

CANNABINOIDS*	MG/UNIT	METHOD
CBD	17.71	HPLC-UV
CBDA	17.14	HPLC-UV
d9-THC	<LOQ	HPLC-UV
THCA-A	NT	HPLC-UV
d8-THC	ND	HPLC-UV
THCV	ND	HPLC-UV
CBDV	<LOQ	HPLC-UV
CBDVA	ND	HPLC-UV
CBGA	ND	HPLC-UV
CBG	ND	HPLC-UV
CBN	ND	HPLC-UV
CBC	ND	HPLC-UV
CBL	NT	HPLC-UV

Total Cannabinoids 34.85 mg/unit

Sample Size 0.8391g

THC by Mass <0.1333mg/g

<LOQ = Below Limit of Quantitation; LOQ = 0.4000mg/g

HEAVY METALS*	STATUS (PASS/FAIL)	METHOD
Arsenic	PASS	ICP-MS
Cadmium	PASS	ICP-MS
Mercury	PASS	ICP-MS
Lead	PASS	ICP-MS

CV Sciences Certificate of Analysis



MICROBIOLOGY*	STATUS (PASS/FAIL)	METHOD
Mold/Mildew/Yeast	PASS	Petrifilm or Agar Plates
Aerobic Bacteria	PASS	Petrifilm
Coliforms	PASS	Petrifilm
E. Coli	PASS	Blood Agar and PCR
Salmonella	PASS	Salmonella Petrifilm and PCR
Pseudomonas	NT	Centrimide Selective Agar

PESTICIDES**	STATUS (PASS/FAIL)	METHOD
Total Pesticides	PASS	HPLC-MS
Mycotoxins	Pass	

RESIDUAL SOLVENTS**	STATUS (PASS/FAIL)	METHOD
Total Residual Solvents	PASS	HS-GC
PEA	199mg/softgel	

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.[†]

[†]Tested analytes and limits were set by CV Sciences, Inc.

Anresco Laboratories Sample ID #: 1439903 & 1436723

**Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

This Certificate of Analysis has been generated to document product test results. The "Approved By" signature does not indicate finished product release for distribution.

QUALITY APPROVAL

Prepared By / Date

Approved By / Date

Status

Vandana Kothari

Signed by Vandana Kothari

I approve this document
21-Sep-2026 11:24 PDT
87A410FF03248738900BEED0868E359

PASS



ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

CV SCIENCES, INC.
9530 Padgett Street, Suite 107
San Diego, CA 92126



SAMPLE INFORMATION

Sample No.: 1439903
Product Name: FP-26-0147plusCBD Relief softgels 30mg 30ct SKU 607 exp 08/28
Matrix: Edible (Capsule)
Lot #: 52848

Date Collected: 08/31/2026
Date Received: 09/02/2026
Date Reported: 09/17/2026

TEST SUMMARY

Cannabinoid Profile: ✔ Pass **Microbiological Screen:** ✔ Tested
Pesticide Residue Screen: ✔ Pass **Residual Solvent Screen:** ✔ Pass
Heavy Metal Screen: ✔ Pass **Mycotoxin Screen:** ✔ Pass

Cannabinoid Profile ✔ Pass

09/17/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.1333 mg/g
Limit of Quantitation 0.4000 mg/g

Cannabinoid	mg/g	%	mg/ serving	mg/ package	Labeled mg/ serving	% Difference	Cannabinoid	mg/g	%	mg/ serving	mg/ package	Status	Labeled mg/ serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	-	-	Δ8-THC	ND	ND	ND	ND	-	-	-	-
Δ9-THC	<LOQ	<LOQ	<LOQ	<LOQ	-	-	Δ9-THC	<LOQ	<LOQ	<LOQ	<LOQ	Pass	-	-	Pass
Δ9-THCA	ND	ND	ND	ND	-	-	Δ9-THCA	ND	ND	ND	ND	-	-	-	-
THCV	ND	ND	ND	ND	-	-	THCV	ND	ND	ND	ND	-	-	-	-
THCVA	ND	ND	ND	ND	-	-	THCVA	ND	ND	ND	ND	-	-	-	-
CBD	21.10	2.110	17.71	531.20	15	18.04	CBD	21.10	2.110	17.71	531.20	-	15	18.04	-
CBDA	20.42	2.042	17.14	514.11	15	14.25	CBDA	20.42	2.042	17.14	514.11	-	15	14.25	-
CBC	ND	ND	ND	ND	-	-	CBC	ND	ND	ND	ND	-	-	-	-
CBCA	ND	ND	ND	ND	-	-	CBCA	ND	ND	ND	ND	-	-	-	-
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	-	-	CBDV	<LOQ	<LOQ	<LOQ	<LOQ	-	-	-	-
CBG	ND	ND	ND	ND	-	-	CBG	ND	ND	ND	ND	-	-	-	-
CBGA	ND	ND	ND	ND	-	-	CBGA	ND	ND	ND	ND	-	-	-	-
CBN	ND	ND	ND	ND	-	-	CBN	ND	ND	ND	ND	-	-	-	-
Total THC	<LOQ	<LOQ	<LOQ	<LOQ	-	-	Total THC	<LOQ	<LOQ	<LOQ	<LOQ	-	-	-	-
Total CBD	39.01	3.901	32.74	982.07	-	-	Total CBD	39.01	3.901	32.74	982.07	-	-	-	-
Total Cannabinoids	39.01	3.901	32.74	982.07	-	-	Total Cannabinoids	39.01	3.901	32.74	982.07	-	-	-	-
Sum of Cannabinoids	41.52	4.152	34.84	1045.31	-	-	Sum of Cannabinoids	41.52	4.152	34.84	1045.31	-	-	-	-

Serving Weight (g) 0.8391

Serving Weight 0.8391 (g)

Package Weight (g) 25.173

Package Weight 25.173 (g)

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Reported results and measurements are based off of a calculated hypothetical weight using the ratio between filling weight and total capsule weight as per client instruction. Only the filling material was tested.

Comment(s):

Full Weight: 0.8391 g
Fill Weight: 0.5683 g
Shell Weight: 0.2709 g

Microbiological Screen

09/09/2026

Analyte	Findings	Units	Instrument	Method
Standard Plate Count	<10	cfu/g	-	FDA BAM
Yeast	<10	cfu/g	-	FDA BAM
Mold	<10	cfu/g	-	FDA BAM
Coliforms	<10	cfu/g	-	FDA BAM
Escherichia coli	<10	cfu/g	-	FDA BAM
Salmonella	Negative/10g	-	Molecular Detection System	AOAC 2016.01
Staphylococcus aureus	Negative	/10g	-	USP <62>

Pesticide Residue Screen **Pass**

09/04/2026

Method: MF-CHEM-13**Regulatory Standard*** DCC**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)*	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass

Certificate of Analysis

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)*	Status
Oxamyl	0.013/0.04	ND	0.2	Pass
Padlobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiadoprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Residual Solvent Screen ✓ Pass

09/04/2026

Method: MF-CHEM-32

Regulatory Standard* DCC

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen ✓ Pass

09/04/2026

Method: MF-CHEM-16

Regulatory Standard* DCC

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Arsenic	0.033/0.101	ND	1.5	Pass
Cadmium	0.047/0.141	ND	0.5	Pass
Mercury	0.014/0.05	ND	3	Pass
Lead	0.107/0.324	ND	0.5	Pass

Mycotoxin Screen ✔ Pass

09/04/2026

Method: MF-CHEM-13**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by



Vu Lam
Lab Co Director



Scan to verify

Certificate Of Completion

Envelope Id: 6FF794CF-6349-898B-8200-984B1ADBD912

Status: Completed

Subject: FP-26-0147 pluscbd RELIEF SOFTGEL 30ct.pdf

Source Envelope:

Document Pages: 6

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Vandana Kothari

AutoNav: Enabled

2688 South RainbowBlvd, Suite B

Envelopeld Stamping: Enabled

Las Vegas, CA 89146

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

vandana.kothari@cvsciences.com

IP Address: 24.30.177.189

Record Tracking

Status: Original

Holder: Vandana Kothari

Location: DocuSign

9/21/2026 11:22:54 AM

vandana.kothari@cvsciences.com

Signer Events

Vandana Kothari

vandana.kothari@cvsciences.com

DIRECTOR OF QUALITY

CV Sciences - Part 11

Security Level: Email, Account Authentication (Required), Logged in

Signature

Signed by Vandana Kothari

I approve this document
21-Sep-2026 | 11:24 PDT

87A410FF03248738900BEED0868E359

Timestamp

Sent: 9/21/2026 11:23:55 AM

Viewed: 9/21/2026 11:24:08 AM

Signed: 9/21/2026 11:24:31 AM

Signature Adoption: Pre-selected Style

Signature ID:

87A410FF-F032-4873-8900-BEED0868E359

Using IP Address: 24.30.177.189

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I approve this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	9/21/2026 11:23:55 AM
Certified Delivered	Security Checked	9/21/2026 11:24:08 AM
Signing Complete	Security Checked	9/21/2026 11:24:31 AM
Completed	Security Checked	9/21/2026 11:24:31 AM
Payment Events	Status	Timestamps