

Certificate of Analysis December 23, 2019

Sample ID:

FP-19-1700

Product name Plus CBD Oil Hemp Capsules

Batch/Lot#:

SL998A

Strength:

15mg 60ct

Expiration:

12/21

Physical properties	Result	Method	Analyst
Appearance	Pass	Organoleptic	HP
Color	Pass	Organoleptic	HP
Aroma	Pass	Organoleptic	HP
Cannabinoid:	mg:	Method:	Analyst:
CBD	14.32	HPLC	HP
CBDV	0.00	HPLC	HP
CBDA	0.23	HPLC	HP
CBG	0.07	HPLC	HP
CBGA	0.00	HPLC	HP
CBC	0.40	HPLC	HP
CBN	0.00	HPLC	HP
Δ^9 -THC	0.38	HPLC	HP
THCA	0.00	HPLC	HP
Total cannabinoids:	15.4 mg		
Sample size:	0.51 g (1 capsul	le)	

0.0742 %

Hayle Pall

DEC 23 2019

DEC 23 2019

Analyst

Date

Reviewed By

Date

Hayley Palmer, B.S.

QC Lab Assistant

THC by mass:

Dalia Chandler, M.S., B.S.

QA/QC Manager

This Certificate of Analysis has been generated to document product test results. The "Reviewed By" signature does not indicate finished product release for distribution.



Certificate of Analysis

CV Sciences, Inc.

1912DBL0296.12483

2688 South Rainbow Blvd. Las Vegas, NV 89146

Dalia Chandler

Batch FP-19-1700 Lot SL998A

Ordered 12/19/2019

Completed 12/21/2019

Plus CBD Oil 15mg 60ct Decarb Hemp Capsules EXP:12/21

Cannabino	ids			
16.32		3.1	7	0.51
Total CBD (mg/unit)		% Total	CBD	Unit weight (g)
Cannnabinoid	LOQ %	Mass %	Mass mg/g	Concentration
CBD	0.04	3.17	31.7	
CBDA	0.04	0.04	0.4	
d9-THC	0.04	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
THCA-A	0.04	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
d8-THC	0.04	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
THCV	0.04	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBDV	0.04	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBDVA	0.04	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBGA	0.04	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBG	0.04	<loq< td=""><td><loq< td=""><td>=</td></loq<></td></loq<>	<loq< td=""><td>=</td></loq<>	=
CBN	0.04	<loq< td=""><td><loq< td=""><td>,</td></loq<></td></loq<>	<loq< td=""><td>,</td></loq<>	,
СВС	0.04	0.14	1.4	
CBL	0.04	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	

Quantitave Analysis	Status	Sample	LOQ	Limit
	Pass/Fail	CFU/g	CFU/R	CFU/g
Mold/Mildew/Yeast	PASS	<loq< td=""><td>100</td><td>10,000</td></loq<>	100	10,000
Enterobacteriaceae	PASS	<loq< td=""><td>100</td><td>1,000</td></loq<>	100	1,000
Aerobic Bacteria	PASS	<loq< td=""><td>1000</td><td>100,000</td></loq<>	1000	100,000
Coliforms	PASS	<loq< td=""><td>100</td><td>1,000</td></loq<>	100	1,000
Qualititave Analysis		Detected	or Not-de	etected
E. Coli	PASS	N	lot-detected	
Salmonella	PASS	N	lot-detected	
Pseudomonas	PASS	N	lot-detected	

Heavy Me	tals			
Compound	Status	Sample	LOQ	Limit
	Pass/Fail	PPB	PPB	PPB
Arsenic	PASS	121	19	2000
Cadmium	PASS	<l0q< td=""><td>19</td><td>820</td></l0q<>	19	820
Mercury	PASS	<loq< td=""><td>19</td><td>400</td></loq<>	19	400
Lead	PASS	308	19	1200

Pesticides	Status	Sample (PPB)	LOQ (PPB)
Acequinocyl	PASS	<loq< td=""><td>10</td></loq<>	10
Abamectin	PASS	<loq< td=""><td>10</td></loq<>	10
Bifenazate	PASS	<loq< td=""><td>10</td></loq<>	10
Fenoxycarb	PASS	<loq< td=""><td>10</td></loq<>	10
Fludioxonil	PASS	<loq< td=""><td>10</td></loq<>	10
Imidacloprid	PASS	<loq< td=""><td>10</td></loq<>	10
Myclobutanil	PASS	<loq< td=""><td>10</td></loq<>	10
Pyrethrin	PASS	<loq< td=""><td>10</td></loq<>	10
Spinosad	PASS	<loq< td=""><td>10</td></loq<>	10
Spiromesifien	PASS	<loq< td=""><td>10</td></loq<>	10
Spirotetramat	PASS	<loq< td=""><td>10</td></loq<>	10
Plant Growth Re	gulators		
Daminozide	PASS	<loq< td=""><td>10</td></loq<>	10

Compound	Status	Limit (PPM)	
Propane	PASS	500	
Methanol	PASS	500	
Isobutane	PASS	500	
Ethanol	PASS	500	
Isopropanol	PASS	500	
Isopentane	PASS	500	
n-Butane	PASS	500	
n-Hexane	PASS	500	
2,2-Dimethylbutane	PASS	500	
3-Methylpentane	PASS	500	
2-Methylpentane	PASS	500	
Cyclohexane	PASS	500	
Neopentane	PASS	500	
nHeptane	PASS	500	
n-Pentane	PASS	500	
Benzene	PASS	500	





Kelly gage

Quality Control





4439 Polaris Ave. Las Vegas, NV 89103 (702)729-5180 www.dblabslv.com