Docusign Envelope ID: 6F139CCC-B8B2-8E4B-83DD-E9FB6A841A46

CV Sciences Certificate of Analysis

CV SCIENCES™

This document is to certify that units of the lot number below were tested as per CV Sciences finished product specifications.

SAMPLE ID: FP-26-0173 **PRODUCT NAME:** PlusCBD Pet Calming Care Chews

Strength: 10 mg CBD per chew, 60 ct

Lot Number: CM60-092226

Expiration Date: 09/28

CANNABINOIDS*	MG/UNIT	METHOD
CBD	10.02	HPLC-UV
CBDA	ND	HPLC-UV
d9-THC	ND	HPLC-UV
THCA-A	NT	HPLC-UV
d8-THC	ND	HPLC-UV
THCV	ND	HPLC-UV
CBDV	ND	HPLC-UV
CBDVA	NT	HPLC-UV
CBGA	ND	HPLC-UV
CBG	ND	HPLC-UV
CBN	ND	HPLC-UV
CBC	ND	HPLC-UV

Total Cannabinoids 10.02 mg/unit

Sample Size 4.0636 g

THC by Mass <0.0133 mg/g

<LOQ = ; LOQ = 0.04MG/G

OTHER ACTIVE INGREDIENTS	MG/UNIT	METHOD
Chamomile	PASS	BY INPUT
L-Tryptophan	PASS	BY INPUT
Ginger Root	PASS	BY INPUT
L-Theanine	PASS	BY INPUT

Docusign Envelope ID: 6F139CCC-B8B2-8E4B-83DD-E9FB6A841A46

CV Sciences Certificate of Analysis

HEAVY METALS[1]	STATUS (PASS/FAIL)	METHOD
Arsenic	PASS	ICP-MS
Cadmium	PASS	ICP-MS
Mercury	PASS	ICP-MS
Lead	PASS	ICP-MS

MICROBIOLOGY[2]	STATUS (PASS/FAIL)	METHOD
Mold/Mildew/Yeast	PASS	Petrifilm or Agar Plates
Aerobic Bacteria	PASS	Petrifilm
Coliforms	PASS	Petrifilm
E. Coli	PASS	Blood Agar and PCR
Salmonella	PASS	Salmonella Petrifilm and PCR

PESTICIDES[2]	STATUS (PASS/FAIL)	METHOD
Total Pesticides	PASS	HPLC-MS
Mycotoxins	PASS	LC-MS/MS ; GC-MS/MS

RESIDUAL SOLVENTS[3]	STATUS (PASS/FAIL)	METHOD
Total Residual Solvents	PASS	HS-GC

1. *The hemp extract is the product of a batch tested by the independent testing laboratory;*
2. *The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and*
3. *The batch does not contain contaminants unsafe for human consumption.†*

Anresco Laboratories Sample ID #: 1447950

Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

Other Laboratories

QUALITY APPROVAL

Prepared By / Date	Approved By / Date	Status
Vandana Kothari	Signed by Vandana Kothari Vandana Kothari | I approve this document 19-Oct-2026 | 20:23 PDT 87A410FFF03248738900BEED0868E359	PASS

Docusign Envelope ID: 6F139CCC-B8B2-8E4B-83DD-E9FB6A841A46

anresco LABORATORIES since 1943

Certificate of Analysis

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

CV SCIENCES, INC.
9530 Padgett Street, Suite 107
San Diego, CA 92126



SAMPLE INFORMATION

Sample No.: 1447950
Product Name: FP-26-0173PlusCBD CalmingPetChews60ct SKU 808 exp 09/28
Matrix: Edible (Soft Chew)
Lot #: CM60-092226

Date Collected: 10/07/2026
Date Received: 10/08/2026
Date Reported: 10/14/2026

TEST SUMMARY

Cannabinoid Profile:	Pass	**Microbiological Screen:**	Tested
Pesticide Residue Screen:	Pass	**Residual Solvent Screen:**	Pass
Heavy Metal Screen:	Pass	**Mycotoxin Screen:**	Pass

Cannabinoid Profile Pass

10/09/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0133 mg/g
Limit of Quantitation 0.0400 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Labeled mg/serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	-	-	-
Δ9-THC	ND	ND	ND	ND	-	-	Pass
Δ9-THCA	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	-	-	-
CBD	2.47	0.247	10.02	601.06	10	0.18	-
CBDA	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	-	-	-
CBG	ND	ND	ND	ND	-	-	-
CBGA	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	-	-	-
Total THC	ND	ND	ND	ND	-	-	-
Total CBD	2.47	0.247	10.02	601.06	-	-	-
Total Cannabinoids	2.47	0.247	10.02	601.06	-	-	-
Sum of Cannabinoids	2.47	0.247	10.02	601.06	-	-	-
Serving Weight (g)	4.0636						
Package Weight (g)	243.816						

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen

10/12/2026

Analyte	Findings	Units	Instrument	Method
Standard Plate Count	460	cfu/g	-	FDA BAM
Yeast	<10	cfu/g	-	FDA BAM
Mold	<10	cfu/g	-	FDA BAM
Coliforms	<10	cfu/g	-	FDA BAM - ECC AGAR
Escherichia coli	<10	cfu/g	-	FDA BAM - ECC AGAR
Salmonella	Negative	/10g	Molecular Detection System	MF-MICRO-11 (AOAC 2016.01)
Staphylococcus aureus	Negative	/10g	-	USP <62>

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Docusign Envelope ID: 6F139CCC-B8B2-8E4B-83DD-E9FB6A841A46

Pesticide Residue Screen ✔ Pass

10/12/2026

Method: MF-CHEM-13

Regulatory Standard* DCC

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)*	Status
Abamectin	0.040/0.100	ND	0.3	Pass
Acephate	0.020/0.060	ND	5.0	Pass
Acequinocyl	0.040/0.100	ND	4.0	Pass
Acetamiprid	0.017/0.050	ND	6.5	Pass
Aldicarb	0.020/0.060	ND	0.10	Pass
Azoxystrobin	0.020/0.060	ND	40.0	Pass
Bifenazate	0.020/0.060	ND	6.5	Pass
Bifenthrin	0.040/0.100	ND	2.0	Pass
Boscalid	0.020/0.060	ND	14.0	Pass
Captan	0.200/0.600	ND	6.5	Pass
Carbaryl	0.020/0.060	ND	0.50	Pass
Carbofuran	0.017/0.050	ND	0.10	Pass
Chlorantraniliprole	0.020/0.060	ND	40.0	Pass
Chlordane	0.020/0.060	ND	0.10	Pass
Chlorfenapyr	0.020/0.060	ND	0.10	Pass
Chlorpyrifos	0.020/0.060	ND	0.10	Pass
Clofentezine	0.020/0.060	ND	0.85	Pass
Coumaphos	0.020/0.060	ND	0.10	Pass
Cyfluthrin	0.100/0.300	ND	1.0	Pass
Cypermethrin	0.100/0.300	ND	1.0	Pass
Daminozide	0.017/0.050	ND	0.10	Pass
DDVP (Dichlorvos)	0.013/0.040	ND	0.10	Pass
Diazinon	0.017/0.050	ND	0.20	Pass
Dimethoate	0.017/0.050	ND	0.10	Pass
Dimethomorph	0.017/0.050	ND	20.0	Pass
Ethoprop(hos)	0.020/0.060	ND	0.10	Pass
Etofenprox	0.020/0.060	ND	5.0	Pass
Etoxazole	0.020/0.060	ND	1.50	Pass
Fenhexamid	0.017/0.050	ND	25.0	Pass
Fenoxycarb	0.020/0.060	ND	0.10	Pass
Fenpyroximate	0.020/0.060	ND	4.0	Pass
Fipronil	0.020/0.060	ND	0.10	Pass
Flonicamid	0.020/0.060	ND	7.9	Pass
Fludioxonil	0.020/0.060	ND	30.0	Pass
Hexythiazox	0.020/0.060	ND	6.0	Pass
Imazalil	0.020/0.060	ND	0.10	Pass
Imidacloprid	0.020/0.060	ND	3.9	Pass
Kresoxim Methyl	0.020/0.060	ND	1.0	Pass
Malathion	0.017/0.050	ND	8.0	Pass
Metalaxyl	0.017/0.050	ND	15.0	Pass
Methiocarb	0.020/0.060	ND	0.10	Pass
Methomyl	0.013/0.040	ND	0.10	Pass
Methyl parathion	0.020/0.060	ND	0.10	Pass
Mevinphos	0.020/0.060	ND	0.10	Pass
Myclobutanil	0.020/0.060	ND	9.0	Pass
Naled	0.017/0.050	ND	0.50	Pass
Oxamyl	0.013/0.040	ND	0.20	Pass
Paclobutrazol	0.020/0.060	ND	0.10	Pass
Pentachloronitrobenzene	0.017/0.050	ND	1.0	Pass
Permethrins	0.100/0.300	ND	20.0	Pass
Phosmet	0.020/0.060	ND	0.20	Pass
Piperonyl Butoxide	0.017/0.050	ND	8.0	Pass
Prallethrin	0.040/0.100	ND	1.0	Pass
Propiconazole	0.020/0.060	ND	20.0	Pass
Propoxur	0.013/0.040	ND	0.10	Pass
Pyrethrins	0.150/0.500	ND	1.0	Pass
Pyridaben	0.017/0.050	ND	3.0	Pass
Spinetoram	0.020/0.060	ND	3.2	Pass
Spinosad	0.020/0.060	ND	3.2	Pass
Spiromesifen	0.040/0.100	ND	12.0	Pass
Spirotetramat	0.020/0.060	ND	13.0	Pass
Spiroxamine	0.017/0.050	ND	0.10	Pass
Tebuconazole	0.020/0.060	ND	2.0	Pass
Thiacloprid	0.013/0.040	ND	0.10	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Docusign Envelope ID: 6F139CCC-B8B2-8E4B-83DD-E9FB6A841A46

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)*	Status
Thiamethoxam	0.020/0.060	ND	4.5	Pass
Trifloxystrobin	0.020/0.060	ND	30.0	Pass

Residual Solvent Screen ✔ Pass

10/12/2026

Method: MF-CHEM-32

Regulatory Standard* DCC

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	318.00	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen ✔ Pass

10/12/2026

Method: MF-CHEM-16

Regulatory Standard* DCC

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Arsenic	0.033/0.101	ND	1.5	Pass
Cadmium	0.047/0.141	ND	0.5	Pass
Mercury	0.014/0.05	ND	3	Pass
Lead	0.107/0.324	ND	0.5	Pass

Mycotoxin Screen ✔ Pass

10/12/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by



Vu Lam
Lab Co Director

Scan to verify

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Certificate Of Completion

Envelope Id: 6F139CCC-B8B2-8E4B-83DD-E9FB6A841A46
Subject: FP-26-0173 PlusCBD Pet Calming Chews COA.pdf
Source Envelope:
Document Pages: 5
Certificate Pages: 1
AutoNav: Enabled
EnvelopeId Stamping: Enabled
Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Signatures: 1
Initials: 0

Status: Completed

Envelope Originator:
Vandana Kothari
2688 South RainbowBlvd, Suite B
Las Vegas, CA 89146
vandana.kothari@cvsciences.com
IP Address: 24.30.177.189

Record Tracking

Status: Original
10/19/2026 8:22:48 PM

Holder: Vandana Kothari
vandana.kothari@cvsciences.com

Location: DocuSign

Signer Events	Signature	Timestamp
Vandana Kothari vandana.kothari@cvsciences.com DIRECTOR OF QUALITY CV Sciences - Part 11 Security Level: Email, Account Authentication (Required), Logged in	Signed by Vandana Kothari  I approve this document 19-Oct-2026 | 20:23 PDT 87A410FFF03248738900BEED0868E359 Signature Adoption: Pre-selected Style Signature ID: 87A410FF-F032-4873-8900-BEED0868E359 Using IP Address: 24.30.177.189 With Signing Authentication via Docusign password With Signing Reasons (on each tab): I approve this document	Sent: 10/19/2026 8:23:21 PM Viewed: 10/19/2026 8:23:32 PM Signed: 10/19/2026 8:23:52 PM

Electronic Record and Signature Disclosure:
Not Offered via Docusign

In Person Signer Events	Signature	Timestamp

Editor Delivery Events	Status	Timestamp

Agent Delivery Events	Status	Timestamp

Intermediary Delivery Events	Status	Timestamp

Certified Delivery Events	Status	Timestamp

Carbon Copy Events	Status	Timestamp

Witness Events	Signature	Timestamp

Notary Events	Signature	Timestamp

Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	10/19/2026 8:23:21 PM
Certified Delivered	Security Checked	10/19/2026 8:23:32 PM
Signing Complete	Security Checked	10/19/2026 8:23:52 PM
Completed	Security Checked	10/19/2026 8:23:52 PM

Payment Events	Status	Timestamps