Docusign Envelope ID: 5CFAE010-6B36-4E33-AE5E-D812C20B2AA6

# **CV Sciences** Certificate of Analysis



## This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.

SAMPLE ID:	PRODUCT NAME:
Strength:	
Lot Number:	
Expiration Date:	

CANNABINOIDS*	MG/UNIT	METHOD
CBD		
CBDA		
d9-THC		
THCA-A		
d8-THC		
ТНСV		
CBDV		
CBDVA		
CBGA		
CBG		
CBN		
CBC		
CBL		
Total Cannabinoids		
Sample Size		
THC by Mass		

HEAVY METALS*	STATUS (PASS/FAIL)	METHOD
Arsenic		
Cadmium		
Mercury		
Lead		

Docusign Envelope ID: 5CFAE010-6B36-4E33-AE5E-D812C20B2AA6

## **CV Sciences** Certificate of Analysis



-			
	MICROBIOLOGY*	STATUS (PASS/FAIL)	METHOD
	Mold/Mildew/Yeast		
	Aerobic Bacteria		
	Coliforms		
	E. Coli		
	Salmonella		
	Pseudomonas		

PESTICIDES**	STATUS (PASS/FAIL)	METHOD
Total Pesticides		
Mycotoxins	Pass	
RESIDUAL SOLVENTS**	STATUS (PASS/FAIL)	METHOD
Total Residual Solvents		

- 1. The hemp extract is the product of a batch tested by the independent testing laboratory;
- 2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
- 3. The batch does not contain contaminants unsafe for human consumption.<sup>+</sup>

<sup>†</sup>Tested analytes and limits were set by CV Sciences, Inc.

DB Labs Sample ID #:

\*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.

#### Anresco Laboratories Sample ID #:

\*\*Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.





#### December 19, 2024

CV SCIENCES, INC. 9530 Padgett Street, Suite 107 San Diego, CA 92126 **Certificate of Analysis** 

Order No. 565058

Sample No. 1265918

SAMPLE INFORMATION

Description	FP-24-0126 Reserve Extra 60ct DRGF Gummy SKU 631 exp 11/26
Lot Number	A107751224
Category (Type)	Non-Inhalable Edible (Gummy)
Received	December 19, 2024

#### **ANALYTICAL RESULTS**

Analysis	Cannabinoid Profile (Non-Plant) 🛛 🔮 Pass
Instrument	Liquid Chromatography Diode Array Detector (LC-DAD)
Method	MF-CHEM-15
Analysis Date	December 19, 2024

Cannabinoid	mg/g	%	mg/serving	mg/package	Labeled mg/ serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	-	-	-
Δ9-THC	1.23	0.123	5.03	301.71	5	0.57	Pass
Δ9-THCA	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	-	-	-
CBD	6.20	0.620	25.28	1516.59	25	1.11	-
CBDA	ND	ND	ND	ND	-	-	-
CBC	0.13	0.013	0.53	32.02	-	-	-
CBCA	ND	ND	ND	ND	-	-	-
CBDV	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td><td>-</td><td>-</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td><td>-</td><td>-</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>-</td><td>-</td><td>-</td></loq<></td></loq<>	<loq< td=""><td>-</td><td>-</td><td>-</td></loq<>	-	-	-
CBG	0.14	0.014	0.56	33.66	-	-	-
CBGA	ND	ND	ND	ND	-	-	-
CBN	0.24	0.024	0.96	57.66	-	-	-
Total THC	1.23	0.123	5.03	301.71	-	-	-
Total CBD	6.20	0.620	25.28	1516.59	-	-	-
Total Cannabinoids	7.94	0.794	32.36	1941.64	-	-	-
Sum of Cannabinoids	7.94	0.794	32.36	1941.64	-	-	-
Serving Weight (g)	4.0737						
Package Weight (g)	244.42						

Reported by

### Anresco, Inc.



December 19, 2024

$$\label{eq:state} \begin{split} \text{ND} &= \text{None Detected} \\ \text{LOD} &= \text{Limit of Detection ( } 0.033 \text{ mg/g)} \\ \text{LOQ} &= \text{Limit of Quantitation ( } 0.1 \text{ mg/g)} \\ \text{Total THC} &= \Delta 8\text{-THC} + \Delta 9\text{-THC} + (0.877 \text{ * THCA}) \\ \text{Total CBD} &= \text{CBD} + (0.877 \text{ * CBDA}) \\ \text{Total Cannabinoids} &= \Sigma (\text{neutral cannabinoids}) + [0.877 \text{ * } \Sigma (\text{acidic cannabinoids})] \end{split}$$

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave., San Francisco, CA 94124 Sample #: 1265918 Batch #: A107751224 page **1** of **1** Report ID: T-4



**CV SCIENCES, INC.** 9530 Padgett Street, Suite 107 San Diego, CA 92126 **Certificate of Analysis** 

Order No. 565058 Sample No. 1265918

#### SAMPLE INFORMATION

Description	FP-24-0126 Reserve Extra 60ct DRGF Gummy SKU 631 exp 11/26
Lot Number	A107751224
Category (Type)	Non-Inhalable Edible (Gummy)
Received	December 19, 2024

#### ANALYTICAL RESULTS

Analysis	Pesticide Screen 🔮 Pass
Instrument	Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method	MF-CHEM-13
Analysis Date	December 19, 2024 to December 23, 2024

Acephate         0.02/0.06         ND         5.0         Pass           Acequinocyl         0.04/0.10         ND         4.0         Pass           Acetamiprid         0.017/0.05         ND         5.0         Pass           Aldicarb         0.02/0.06         ND         0.02         Pass	Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Acequinocyl0.04/0.10ND4.0PassAcequinocyl0.017/0.05ND5.0PassAldicarb0.02/0.06ND0.02PassBifenazate0.02/0.06ND5.0PassBifenazate0.02/0.06ND0.5PassBoscalid0.02/0.06ND0.5PassCaptan0.2/0.06ND0.5PassCarbaryl0.02/0.06ND0.5PassCarbaryl0.02/0.06ND0.5PassCarbofuran0.017/0.05ND0.017PassChlorantraniliprole0.02/0.06ND0.02PassChlorantraniliprole0.02/0.06ND0.02PassChlorantraniliprole0.02/0.06ND0.02PassChlorantraniliprole0.02/0.06ND0.02PassChlorantraniliprole0.02/0.06ND0.02PassChlorantraniliprole0.02/0.06ND0.02PassChlorantraniliprole0.02/0.06ND0.02PassChlorpyrifos0.02/0.06ND0.02PassCoumaphos0.02/0.06ND0.02PassCypermethrin0.10/0.30ND1.0PassDaminozide0.017/0.05ND0.017PassDimethomorph0.017/0.05ND0.017PassDimethomorph0.017/0.05ND0.02PassEtofenprox0.02/0.06ND0.02Pa	Abamectin	0.04/0.10	ND	0.3	Pass
Acetamiprid         0.017/0.05         ND         5.0         Pass           Aldicarb         0.02/0.06         ND         0.02         Pass           Azoxystrobin         0.02/0.06         ND         40.0         Pass           Bifenazate         0.02/0.06         ND         5.0         Pass           Bifenthrin         0.04/0.10         ND         0.5         Pass           Boscalid         0.02/0.66         ND         10.0         Pass           Captan         0.20.66         ND         0.5         Pass           Carbaryl         0.02/0.66         ND         0.17         Pass           Chlorantraniliprole         0.02/0.06         ND         0.017         Pass           Chloradne         0.02/0.06         ND         0.02         Pass           Chlordane         0.02/0.06         ND         0.02         Pass           Clofentazine         0.02/0.06         ND         0.02         Pass           Colfentazine         0.02/0.06         ND         0.02         Pass           Colfertazine         0.02/0.06         ND         0.02         Pass           Coumphos         0.02/0.06         ND         0.02	Acephate	0.02/0.06	ND	5.0	Pass
Aldicarb         0.02/0.06         ND         0.02         Pass           Azoxystrobin         0.02/0.06         ND         40.0         Pass           Bifenazate         0.02/0.06         ND         5.0         Pass           Bifenthrin         0.04/0.10         ND         0.5         Pass           Boscalid         0.02/0.06         ND         10.0         Pass           Captan         0.2/0.6         ND         0.5         Pass           Carbaryl         0.02/0.06         ND         0.5         Pass           Carbofuran         0.017/0.05         ND         0.017         Pass           Chlordane         0.02/0.06         ND         40.0         Pass           Chlordane         0.02/0.06         ND         0.02         Pass           Chlordane         0.02/0.06         ND         0.02         Pass           Chlordenapyr         0.02/0.06         ND         0.02         Pass           Coldentezine         0.02/0.06         ND         0.02         Pass           Coldentezine         0.02/0.06         ND         0.02         Pass           Cypermethrin         0.10/0.30         ND         1.0         Pa	Acequinocyl	0.04/0.10	ND	4.0	Pass
Azoxystrobin0.02/0.06ND40.0PassBifenazate0.02/0.06ND5.0PassBifenthrin0.04/0.10ND0.5PassBoscalid0.02/0.06ND10.0PassCaptan0.2/0.66ND5.0PassCarbaryl0.02/0.06ND0.017PassCarbofuran0.017/0.05ND0.017PassChlorantraniliprole0.02/0.06ND0.02PassChlordane0.02/0.06ND0.02PassChlordane0.02/0.06ND0.02PassChlordane0.02/0.06ND0.02PassClofentezine0.02/0.06ND0.02PassCoumaphos0.02/0.06ND0.02PassCyfluthrin0.10/0.30ND1.0PassDDVP (Dichlorvos)0.017/0.05ND0.017PassDiazion0.017/0.05ND0.017PassDimethoate0.017/0.05ND0.017PassDimethoroph0.017/0.05ND0.017PassDimethoroph0.017/0.05ND0.02PassEtofenprox0.02/0.06ND0.02PassEtofenprox0.02/0.06ND0.02PassDimethoate0.017/0.05ND0.02PassEtofenprox0.02/0.06ND0.02PassEtofenprox0.02/0.06ND0.02PassEtofenprox0.02	Acetamiprid	0.017/0.05	ND	5.0	Pass
Bifenazate         0.02/0.06         ND         5.0         Pass           Bifenazate         0.02/0.06         ND         0.5         Pass           Boscalid         0.02/0.06         ND         10.0         Pass           Captan         0.2/0.6         ND         5.0         Pass           Carbaryl         0.02/0.06         ND         0.5         Pass           Carbaryl         0.02/0.06         ND         0.5         Pass           Chlorantraniliprole         0.02/0.06         ND         0.017         Pass           Chlorantraniliprole         0.02/0.06         ND         0.02         Pass           Chlordane         0.02/0.06         ND         0.02         Pass           Chlorphenapyr         0.02/0.06         ND         0.02         Pass           Chlorphenapyr         0.02/0.06         ND         0.02         Pass           Colmaphos         0.02/0.06         ND         0.02         Pass           Coumaphos         0.02/0.06         ND         0.02         Pass           Cyfluthrin         0.10/0.30         ND         1.0         Pass           Dawronteriterin         0.017/0.05         ND         0.017<	Aldicarb	0.02/0.06	ND	0.02	Pass
Bifenthrin0.04/0.10ND0.5PassBoscalid0.02/0.06ND10.0PassCaptan0.2/0.6ND5.0PassCarbaryl0.02/0.06ND0.5PassCarbofuran0.017/0.05ND0.017PassChlorantraniliprole0.02/0.06ND40.0PassChlordane0.02/0.06ND0.02PassChlordane0.02/0.06ND0.02PassChlordane0.02/0.06ND0.02PassChlordane0.02/0.06ND0.02PassChlordnapyr0.02/0.06ND0.02PassClofentezine0.02/0.06ND0.02PassCoumaphos0.02/0.06ND0.02PassCyfluthrin0.10/0.30ND1.0PassDaminozide0.017/0.05ND0.017PassDDVP (Dichlorvos)0.013/0.44ND0.017PassDimethoate0.017/0.05ND0.017PassDimethoorph0.017/0.05ND0.017PassEthoprop(hos)0.02/0.06ND0.02PassEtofenprox0.02/0.06ND0.02PassEtofenprox0.02/0.06ND0.02PassEtofenprox0.02/0.06ND0.02PassEtofenprox0.02/0.06ND0.02PassEtofenprox0.02/0.06ND0.02PassEtofenprox0.02/	Azoxystrobin	0.02/0.06	ND	40.0	Pass
Boscalid0.02/0.06ND10.0PassCaptan0.2/0.6ND5.0PassCarbaryl0.02/0.06ND0.5PassCarbofuran0.017/0.05ND0.017PassChlorantraniliprole0.02/0.06ND40.0PassChlorantraniliprole0.02/0.06ND0.02PassChlorantpariliprole0.02/0.06ND0.02PassChlorantpariliprole0.02/0.06ND0.02PassChlorantparito0.02/0.06ND0.02PassChlorantparito0.02/0.06ND0.02PassChlorantparito0.02/0.06ND0.02PassCoumaphos0.02/0.06ND0.02PassCypermethrin0.10/0.30ND1.0PassDaminozide0.017/0.05ND0.017PassDiazinon0.017/0.05ND0.017PassDimethoaren0.017/0.05ND0.017PassDimethoorph0.017/0.05ND0.02PassEthoprop(hos)0.02/0.06ND0.02PassEthoprop(hos)0.02/0.06ND0.02PassEtoazole0.02/0.06ND1.5PassFenhexamid0.017/0.05ND10.0PassFenhexamid0.017/0.05ND10.0PassEtoazole0.02/0.06ND1.5PassFenhexamid0.017/0.05ND1.0Pass <td>Bifenazate</td> <td>0.02/0.06</td> <td>ND</td> <td>5.0</td> <td>Pass</td>	Bifenazate	0.02/0.06	ND	5.0	Pass
Captan0.2/0.6ND5.0PassCarbaryl0.02/0.06ND0.5PassCarbofuran0.017/0.05ND0.017PassChlorantraniliprole0.02/0.06ND40.0PassChlorantraniliprole0.02/0.06ND0.02PassChlorantraniliprole0.02/0.06ND0.02PassChlorgenapyr0.02/0.06ND0.02PassChlorgenapyr0.02/0.06ND0.02PassClofentezine0.02/0.06ND0.02PassCoumaphos0.02/0.06ND0.02PassCyfluthrin0.10/0.30ND1.0PassCypermethrin0.10/0.30ND1.0PassDDVP (Dichlorvos)0.013/0.04ND0.017PassDimethoate0.017/0.05ND0.017PassDimethoate0.017/0.05ND0.017PassDimethorph0.02/0.06ND0.02PassEtotaprox0.02/0.06ND0.02PassEtotaprox0.02/0.06ND0.02PassEtoxazole0.02/0.06ND0.02PassFenhexamid0.017/0.05ND1.0PassFenexycarb0.02/0.06ND0.02PassEtoxazole0.02/0.06ND0.02PassFenexycarb0.02/0.06ND1.0Pass	Bifenthrin	0.04/0.10	ND	0.5	Pass
Carbaryl         0.02/0.06         ND         0.5         Pass           Carbofuran         0.017/0.05         ND         0.017         Pass           Chlorantraniliprole         0.02/0.06         ND         40.0         Pass           Chlordane         0.02/0.06         ND         0.02         Pass           Chlordane         0.02/0.06         ND         0.02         Pass           Chlordpress         0.02/0.06         ND         0.02         Pass           Chlordpress         0.02/0.06         ND         0.02         Pass           Chlordpress         0.02/0.06         ND         0.02         Pass           Clofentezine         0.02/0.06         ND         0.02         Pass           Coumaphos         0.02/0.06         ND         0.02         Pass           Cyfluthrin         0.10/0.30         ND         1.0         Pass           Cypermethrin         0.10/0.30         ND         0.017         Pass           DDVP (Dichlorvos)         0.017/0.05         ND         0.017         Pass           Diazion         0.017/0.05         ND         0.017         Pass           Dimethoate         0.017/0.05         ND	Boscalid	0.02/0.06	ND	10.0	Pass
Carbofuran0.017/0.05ND0.017PassChlorantraniliprole0.02/0.06ND40.0PassChlordane0.02/0.06ND0.02PassChlorfenapyr0.02/0.06ND0.02PassChlorpyrifos0.02/0.06ND0.02PassClofentezine0.02/0.06ND0.02PassCoumaphos0.02/0.06ND0.02PassCyfluthrin0.10/0.30ND1.0PassCygermethrin0.10/0.30ND1.0PassDDVP (Dichlorvos)0.017/0.05ND0.017PassDiazinon0.017/0.05ND0.017PassDimethoate0.017/0.05ND0.017PassDimethomorph0.017/0.05ND0.017PassEttofenprox0.02/0.06ND0.02PassEttofenprox0.02/0.06ND0.02PassEtoxazole0.02/0.06ND1.5PassFenhexamid0.017/0.05ND10.0PassFenoxycarb0.02/0.06ND0.02Pass	Captan	0.2/0.6	ND	5.0	Pass
Chlorantraniliprole0.02/0.06ND40.0PassChlordane0.02/0.06ND0.02PassChlorfenapyr0.02/0.06ND0.02PassChlorpyrifos0.02/0.06ND0.02PassClofentezine0.02/0.06ND0.02PassCoumaphos0.02/0.06ND0.02PassCyfluthrin0.10/0.30ND1.0PassCypermethrin0.10/0.30ND1.0PassDaminozide0.017/0.05ND0.017PassDVP (Dichlorvos)0.013/0.04ND0.013PassDiazinon0.017/0.05ND0.017PassDimethoate0.017/0.05ND0.02PassEthoprop(hos)0.02/0.06ND0.02PassEtoxazole0.02/0.06ND1.5PassFenhexamid0.017/0.05ND10.0PassFenoxycarb0.02/0.06ND0.02Pass	Carbaryl	0.02/0.06	ND	0.5	Pass
Chlordane         0.02/0.06         ND         0.02         Pass           Chlorfenapyr         0.02/0.06         ND         0.02         Pass           Chlorpyrifos         0.02/0.06         ND         0.02         Pass           Clofentezine         0.02/0.06         ND         0.5         Pass           Clofentezine         0.02/0.06         ND         0.02         Pass           Coumaphos         0.02/0.06         ND         0.02         Pass           Cyfluthrin         0.10/0.30         ND         1.0         Pass           Cypermethrin         0.10/0.30         ND         1.0         Pass           Daminozide         0.017/0.05         ND         0.017         Pass           DDVP (Dichlorvos)         0.013/0.04         ND         0.017         Pass           Diazinon         0.017/0.05         ND         0.017         Pass           Dimethoate         0.017/0.05         ND         0.017         Pass           Dimethomorph         0.02/0.06         ND         0.02         Pass           Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         <	Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorfenapyr0.02/0.06ND0.02PassChlorpyrifos0.02/0.06ND0.02PassClofentezine0.02/0.06ND0.02PassCoumaphos0.02/0.06ND0.02PassCyfluthrin0.10/0.30ND1.0PassCypermethrin0.10/0.30ND1.0PassDaminozide0.017/0.05ND0.017PassDDVP (Dichlorvos)0.013/0.04ND0.013PassDiazinon0.017/0.05ND0.017PassDimethoate0.017/0.05ND0.017PassDimethomorph0.017/0.05ND0.02PassEtofenprox0.02/0.06ND0.02PassEtoxazole0.02/0.06ND1.5PassFenhexamid0.017/0.05ND10.0PassFenoxycarb0.02/0.06ND0.02Pass	Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlorpyrio0.02/0.06ND0.02PassClofentezine0.02/0.06ND0.5PassCoumaphos0.02/0.06ND0.02PassCyfluthrin0.10/0.30ND1.0PassCypermethrin0.10/0.30ND1.0PassDaminozide0.017/0.05ND0.017PassDDVP (Dichlorvos)0.013/0.04ND0.013PassDiazinon0.017/0.05ND0.017PassDimethoate0.017/0.05ND0.017PassEthoprop(hos)0.02/0.06ND0.02PassEtofenprox0.02/0.06ND0.02PassEtoxazole0.02/0.06ND1.5PassFenhexamid0.017/0.05ND10.0PassFenoxycarb0.02/0.06ND0.02Pass	Chlordane	0.02/0.06	ND	0.02	Pass
Clofentezine0.02/0.06ND0.5PassCoumaphos0.02/0.06ND0.02PassCyfluthrin0.10/0.30ND1.0PassCypermethrin0.10/0.30ND1.0PassDaminozide0.017/0.05ND0.017PassDDVP (Dichlorvos)0.013/0.04ND0.013PassDiazinon0.017/0.05ND0.2PassDimethoate0.017/0.05ND0.017PassDimethomorph0.017/0.05ND0.02PassEtofenprox0.02/0.06ND0.02PassEtoxazole0.02/0.06ND1.5PassFenhexamid0.017/0.05ND10.0PassFenoxycarb0.02/0.06ND0.02Pass	Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Coumaphos0.02/0.06ND0.02PassCyfluthrin0.10/0.30ND1.0PassCypermethrin0.10/0.30ND1.0PassDaminozide0.017/0.05ND0.017PassDDVP (Dichlorvos)0.013/0.04ND0.013PassDiazinon0.017/0.05ND0.2PassDimethoate0.017/0.05ND0.017PassDimethomorph0.017/0.05ND0.02PassEthoprop(hos)0.02/0.06ND0.02PassEtoxazole0.02/0.06ND1.5PassFenhexamid0.017/0.05ND10.0PassFenoxycarb0.02/0.06ND0.02Pass	Chlorpyrifos	0.02/0.06	ND		Pass
Cyfluthrin         0.10/0.30         ND         1.0         Pass           Cypermethrin         0.10/0.30         ND         1.0         Pass           Daminozide         0.017/0.05         ND         0.017         Pass           DDVP (Dichlorvos)         0.013/0.04         ND         0.013         Pass           Diazinon         0.017/0.05         ND         0.013         Pass           Dimethoate         0.017/0.05         ND         0.017         Pass           Dimethoate         0.017/0.05         ND         0.017         Pass           Ethoprop(hos)         0.02/0.06         ND         0.02         Pass           Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         10.0         Pass	Clofentezine	0.02/0.06	ND	0.5	Pass
Cypermethrin         0.10/0.30         ND         1.0         Pass           Daminozide         0.017/0.05         ND         0.017         Pass           DDVP (Dichlorvos)         0.013/0.04         ND         0.013         Pass           Diazinon         0.017/0.05         ND         0.2         Pass           Dimethoate         0.017/0.05         ND         0.017         Pass           Dimethomorph         0.017/0.05         ND         0.017         Pass           Ethoprop(hos)         0.02/0.06         ND         0.02         Pass           Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         10.0         Pass	Coumaphos	0.02/0.06	ND	0.02	Pass
Daminozide         0.017/0.05         ND         0.017         Pass           DDVP (Dichlorvos)         0.013/0.04         ND         0.013         Pass           Diazinon         0.017/0.05         ND         0.2         Pass           Dimethoate         0.017/0.05         ND         0.017         Pass           Dimethomorph         0.017/0.05         ND         0.017         Pass           Ethoprop(hos)         0.02/0.06         ND         0.02         Pass           Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         10.0         Pass	Cyfluthrin	0.10/0.30	ND	1.0	Pass
DDVP (Dichlorvos)         0.013/0.04         ND         0.013         Pass           Diazinon         0.017/0.05         ND         0.2         Pass           Dimethoate         0.017/0.05         ND         0.017         Pass           Dimethomorph         0.017/0.05         ND         20.0         Pass           Ethoprop(hos)         0.02/0.06         ND         0.02         Pass           Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         10.0         Pass	Cypermethrin	0.10/0.30	ND	1.0	Pass
Diazinon         0.017/0.05         ND         0.2         Pass           Dimethoate         0.017/0.05         ND         0.017         Pass           Dimethomorph         0.017/0.05         ND         20.0         Pass           Ethoprop(hos)         0.02/0.06         ND         0.02         Pass           Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         0.02         Pass	Daminozide	0.017/0.05	ND	0.017	Pass
Dimethoate         0.017/0.05         ND         0.017         Pass           Dimethomorph         0.017/0.05         ND         20.0         Pass           Ethoprop(hos)         0.02/0.06         ND         0.02         Pass           Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         10.0         Pass           Fenoxycarb         0.02/0.06         ND         0.02         Pass	DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Dimethomorph         0.017/0.05         ND         20.0         Pass           Ethoprop(hos)         0.02/0.06         ND         0.02         Pass           Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         10.0         Pass           Fenoxycarb         0.02/0.06         ND         0.02         Pass	Diazinon	0.017/0.05	ND	0.2	Pass
Ethoprop(hos)         0.02/0.06         ND         0.02         Pass           Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         10.0         Pass           Fenoxycarb         0.02/0.06         ND         0.02         Pass	Dimethoate	0.017/0.05	ND	0.017	Pass
Etofenprox         0.02/0.06         ND         0.02         Pass           Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         10.0         Pass           Fenoxycarb         0.02/0.06         ND         0.02         Pass	Dimethomorph	0.017/0.05	ND	20.0	Pass
Etoxazole         0.02/0.06         ND         1.5         Pass           Fenhexamid         0.017/0.05         ND         10.0         Pass           Fenoxycarb         0.02/0.06         ND         0.02         Pass	Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Fenhexamid         0.017/0.05         ND         10.0         Pass           Fenoxycarb         0.02/0.06         ND         0.02         Pass	Etofenprox	0.02/0.06	ND	0.02	Pass
Fenoxycarb0.02/0.06ND0.02Pass	Etoxazole	0.02/0.06	ND	1.5	Pass
, ,	Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenpyroximate0.02/0.06ND2.0Pass	Fenoxycarb	0.02/0.06	ND	0.02	Pass
	Fenpyroximate	0.02/0.06	ND	2.0	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratorieswww.anresco.comSample #: 1265918page 1 of 21375 Van Dyke Ave., San Francisco, CA 94124Batch #: A107751224Report ID: T-2



## **Certificate of Analysis**

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.017/0.05	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Reported by **Anresco, Inc.** 



December 23, 2024

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave., San Francisco, CA 94124 Sample #: 1265918 Batch #: A107751224 page**2** of **2** Report ID: T-2



CV SCIENCES, INC. 9530 Padgett Street, Suite 107 San Diego, CA 92126 **Certificate of Analysis** 

Order No. 565058 Sample No. 1265918

#### SAMPLE INFORMATION

Description	FP-24-0126 Reserve Extra 60ct DRGF Gummy SKU 631 exp 11/26
Lot Number	A107751224
Category (Type)	Non-Inhalable Edible (Gummy)
Received	December 19, 2024

#### **ANALYTICAL RESULTS**

Analysis	Residual Solvent Screen 🛛 🔮 Pass
Instrument	Gas Chromatography Mass Spectrometry (GC/MS)
Method	MF-CHEM-32
Analysis Date	December 19, 2024 to December 23, 2024

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Reported by Anresco, Inc.



December 23, 2024

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave., San Francisco, CA 94124 Sample #: 1265918 Batch #: A107751224 page **1** of **1** Report ID: T-2



**CV SCIENCES, INC.** 9530 Padgett Street, Suite 107 San Diego, CA 92126 **Certificate of Analysis** 

Order No. 565058 Sample No. 1265918

#### SAMPLE INFORMATION

Description Lot Number Category (Type) Received	FP-24-0126 Reserve Extra 60ct DRGF Gummy SKU 631 exp 11/26 A107751224 Non-Inhalable Edible (Gummy) December 19, 2024
	ANALYTICAL RESULTS
Analysis	Mycotoxins Screen 🔮 Pass
Instrument	Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Method MF-CHEM-13

Analysis Date December 19, 2024 to December 23, 2024

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by **Anresco, Inc.** 



December 23, 2024

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave., San Francisco, CA 94124 page **1** of **1** Report ID: T-2



## **Certificate of Analysis**

December 27, 2024

**CV SCIENCES, INC.** 9530 Padgett Street, Suite 107 San Diego, CA 92126 Order No. 565058 Sample No. 1265918

#### SAMPLE INFORMATION

DescriptionFP-24-0126 Reserve Extra 60ct DRGF Gummy SKU 631 exp 11/26Lot NumberA107751224ReceivedDecember 19, 2024

#### ANALYTICAL RESULTS

Analysis Date December 19, 2024 to December 27, 2024

Findings	Analysis	Results	Method
	Standard Plate Count	<10 cfu/g	FDA BAM
	Yeast	<10 cfu/g	FDA BAM
	Mold	<10 cfu/g	FDA BAM
	Coliforms	<10 cfu/g	FDA BAM - ECC AGAR
	Escherichia coli	<10 cfu/g	FDA BAM - ECC AGAR
	Salmonella	Negative /25g	MF-MICRO-11 (AOAC 2016.01)
	Staph aureus	Negative /25g	USP <62>

### Reported by **Anresco, Inc.**



If there are any questions with this report, please contact "compliance@anresco.com".

Tel: 415 822 1100 Fax: 415 822 6615 Report ID: S-1

page 1 of 1

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



**CV SCIENCES, INC.** 9530 Padgett Street, Suite 107 San Diego, CA 92126 **Certificate of Analysis** 

Order No. 565058 Sample No. 1265918

#### SAMPLE INFORMATION

Description	FP-24-0126 Reserve Extra 60ct DRGF Gummy SKU 631 exp 11/26
Lot Number	A107751224
Category (Type)	Non-Inhalable Edible (Gummy)
Received	December 19, 2024

#### ANALYTICAL RESULTS

Analysis	Heavy Metals 🛛 🔮 Pass
Instrument	Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method	MF-CHEM-16
Analysis Date	December 19, 2024 to December 23, 2024

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	<loq< td=""><td>1.5</td><td>Pass</td></loq<>	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.125	ND	0.5	Pass

Reported by **Anresco, Inc.** 



Eric Tam Senior Chemist December 23, 2024 ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave., San Francisco, CA 94124 page**1** of **1** Report ID: T-2

### docusign.

Certificate Of Completion		
Envelope Id: 5CFAE010-6B36-4E33-AE5E-D812C Subject: FP-24-0126 Reserve Extra 60ct DRGF Ga Source Envelope:		Status: Completed
Document Pages: 9 Certificate Pages: 1 AutoNav: Enabled Envelopeld Stamping: Enabled Time Zone: (UTC-08:00) Pacific Time (US & Canad	Signatures: 1 Initials: 0 da)	Envelope Originator: Vandana Kothari vandana.kothari@cvsciences.com IP Address: 64.207.219.136
Record Tracking		
Status: Original 1/2/2025 11:22:21 AM	Holder: Vandana Kothari vandana.kothari@cvsciences.com	Location: DocuSign
Signer Events	Signature	Timestamp
Vandana Kothari vandana.kothari@cvsciences.com DIRECTOR OF QUALITY CV Sciences - Part 11 Security Level: Email, Account Authentication (Required)	Van Jana Kollian Signature Adoption: Pre-selected Style Signature ID: 87A410FF-F032-4873-8900-BEED0868E359 Using IP Address: 75.85.176.253	Sent: 1/2/2025 11:24:16 AM Viewed: 1/2/2025 11:31:58 AM Signed: 1/2/2025 11:32:26 AM
	With Signing Authentication via DocuSign password With Signing Reasons (on each tab): I approve this document	1
Electronic Record and Signature Disclosure: Not Offered via DocuSign		

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Summary Events Envelope Sent	Status Hashed/Encrypted	Timestamps 1/2/2025 11:24:16 AM
• •		•
Envelope Sent	Hashed/Encrypted	1/2/2025 11:24:16 AM
Envelope Sent Certified Delivered	Hashed/Encrypted Security Checked	1/2/2025 11:24:16 AM 1/2/2025 11:31:58 AM